



Video Solutions

Voice Solutions

Network Systems

Global Services

Custom Products/Market Solutions

Polycom Solutions

Product Catalog

VideoVoiceDataWeb




Letter from the Chairman

Technology is no longer just an efficiency tool; it's a strategic driver. Organizations that leverage the best technologies and utilize them to their fullest capacity are winners in today's ever-competitive environment.

With that in mind, we've created a full suite of customized Polycom Unified Collaborative Communications Solutions. They offer your organization a way to conference and collaborate any way your users choose via video, voice, data or the Web. It's a fully integrated experience that provides mission-critical communications anywhere, anytime.

From small to large enterprises, educational environments, and healthcare applications, to courts, government agencies, and organizations, our leading edge solutions bring your world closer, save you time and money, and help you speed time to market. Simply put, our products and services make doing business more efficient, effective and fun.

We hope that you find this catalog helpful. And we hope that we'll continue to earn your trust and satisfaction as you allow our products to make a difference in the way you work.



Robert C. Hagerty
Chairman and CEO

Table of Contents

Contents

Ordering Information

For more information please call us at **1-800-224-7083**.

Availability

This catalog is intended for distribution in the U.S. only. Products and specifications are subject to change.

Comments? Questions?

Please call us at **1-800-224-7083**.




Collaborative Communications | Page 5



Video Solutions | Page 6




Voice Solutions | Page 27



Network Systems | Page 42



Global Services | Page 50



Custom Products/Market Solutions | Page 57

See What's New!




VSX™ Family

The new VSX family of video systems offers a solution for every environment. The VSX 8000 provides the industry's most powerful solution for systems integrators. The VSX 8800 offers maximum performance in a high-end video conferencing system. Our VSX 8400 is a high performance product that's ideal for use in an instructor or presenter environment. The VSX 7800 is the top-of-the-line in set-top video conferencing systems. If you're looking for optimum collaboration capabilities in a set-top video conferencing system, look no further than the VSX 7400. And, the Polycom VSX 3000 is the first and only fully integrated video conferencing system that doubles as your PC display.



SoundStation2W™

Polycom's new wireless SoundStation2W is the only conference phone that lets you connect via your cell phone or regular telephone line utilizing the secure, built-in 2.4 GHz wireless technology. And with the SoundStation2W, you can speak up to 10-feet away from the microphone and be heard clearly on the other end of the call – maximizing your productivity. The SoundStation2W – remarkable voice quality, wireless freedom.



Polycom V500™


For the first time simple, affordable, video calling is now available with unparalleled audio and video quality. As easy to use as your television, the Polycom V500 brings the benefit of video conferencing to everyone. Together with its superior audio and video performance, the Polycom V500 is affordable and supports industry standards so you can call anyone, anywhere.

Polycom Unified Collaborative Communications Solutions

With the most complete, state-of-the-art line of conferencing and collaboration products available, Polycom is the leader in the emerging Unified Collaborative Communication market, with solutions that connect people, ideas, and insights via integrated video, voice, data, or the Web, anytime, anywhere – as naturally as being there.

Since the early 1990's, we've been responsible for some of the most sweeping breakthroughs in the conferencing and collaboration arena. Today, our industry leading advances in image and sound quality are single-handedly transforming virtual groups and desktop meetings into experiences that are as personal and natural as any face-to-face interactions. And, by harnessing enormous leaps in worldwide IP connectivity, we are now able to deliver a new generation of totally integrated video, voice, data, and Web conferencing and collaboration solutions suited to every budget and every type of network. This seamless integration offers user-friendly options unequalled in the industry.

Many of these solutions are highlighted in this catalog or information is available at **www.polycom.com**





Polycom Video Solutions

Video

From small to large enterprises, educational environments, and healthcare applications, to courts and government agencies, organizations are taking advantage of the speed, richness and convenience of video collaboration and communication.

From the world's most popular desktop video conferencing solution, ViaVideo® II, to office solutions such as the Polycom V500, VSX™ 3000, VSX™ 7000 Series and our top-of-the-line VSX™ 8000 Series and iPower™ series, Polycom can provide a video conferencing solution that works for your conference rooms, offices and desktops.





Polycom Video Solutions

Conference Room Performance – State of the art

Polycom performance room systems provide the industry's most advanced audio and video technology, maximum flexibility, input and output connectivity and robust management tools designed to fit even the most demanding environments.

The 1U rack amount configuration of the VSX 8800 and VSX 8400 are ideal for special applications and other integrated environments that require state-of-the-art video conferencing. Choose the iPower 9000 Series for applications that require PC based architecture. The VS4000™ is ideal for expansion of existing ViewStation® deployments.

Introducing the VSX 8000 Series

A sleek rack mount design, professional grade connectivity and versatile interoperability make this product the perfect choice for integrated and custom environments.

The Polycom VSX 8000 is at the top-of-line of the VSX products as a performance, rack-mount design group system. The Polycom VSX 8000 offers features that custom integrators have requested such as camera tracking to presets with the PowerCam Plus camera, seamless Vortex integration, direct VGA-in from laptop and POTS audio add-in. A new Integrator's Reference Manual for the VSX Series is available that details over 200 supported API commands and includes cable pin-outs and other technical information. To accommodate different environments, Polycom has created three distinct models of the VSX 8000 Series. The VSX 8000 is the codec only product, ideal for use by custom integrators. The VSX 8400 includes a PowerCam™ camera, (2) microphones and People+Content™. The VSX 8800 includes a PowerCam Plus camera, (2) microphones, People+Content, MPPlus software and a Stereo Speaker Kit to support Polycom StereoSurround™. The VSX 8000 Series is introduced with Release 7.0 and is fully interoperable with the V500, VSX 3000 and VSX 7000 Series products.

Polycom Video Solutions



Features

- Expansion of the VSX architecture in a rack-mount form factor
- Polycom StereoSurround projected from left and right speakers give the feeling of being there
- Voice tracking to presets with the PowerCam Plus camera
- Add multiple voice and video participants to the same conference and increase productivity.
- Integrated People+Content for streamlined presentations
- Professional grade connectors make adding audio and video peripherals a breeze.
- H.264 video and television-like Pro-Motion™ video for unsurpassed quality
- 14 kHz wideband, crystal clear audio
- Easy-to-use, customizable user interface
- Extensive API command support for AMX or Crestron touch panels
- IP ready yet versatile enough to add QBRI, PRI or Serial network interface modules
- Robust remote management tools for IT or video administrators

Features

- Expansion of the VSX architecture in a rack-mount form factor
- Integrated People+Content for streamlined presentations
- Ultra-quiet, ultra-fast action pan-tilt-zoom camera
- Seamless Voice and Video integration with the SoundStation VTX 1000 and the VSX 8400
- Professional grade connectors make adding audio and video peripherals a breeze
- H.264 video and television-like Pro-Motion™ video for unsurpassed quality
- 14 kHz wideband, crystal clear audio
- Easy-to-use, customizable user interface
- Extensive API command support for AMX or Crestron touch panels
- IP ready yet versatile enough to add QBRI, PRI or Serial network interface modules
- Robust remote management tools for IT or video administrators

VSX 8800

Maximum Performance in a High-End Video Conferencing System!

For the best in all-around performance of a group video system, the VSX 8800 is the product! Included are tools that enable the addition of multiple participants in a single video conference, People+Content collaboration, voice tracking PowerCam Plus camera and Siren™ 14 Stereo with high-fidelity speakers. Use the VSX 8800 in your own custom integrated environment, or pair it with dual 50 inch plasma Executive Collection.

VSX 8400

A performance product that's ideal for use in an instructor or presenter environment.

With standard People+Content™ feature and PowerCam camera, the instructor and the presentation are the focus of the video conference. Extended flexibility of the system allows the end user to connect multiple peripherals such as a DVD player or VCR, a document camera or a projector for added presentation impact.

For convenient integrated conferencing, the VSX 8400 is available as a bundled solution package with the SoundStation VTX 1000™.

Polycom Video Solutions



VSX 8000™

Features

- Expansion of the VSX architecture in a rack-mount form factor
- 1U height, 9.68" depth is ideal for rack-mount hardware
- Professional Grade Phoenix balanced line-level connectors easily accommodate third party peripherals
- Integrated People+Content for streamlined presentations
- Direct microphone input with phantom power
- Extensive input and output connectors to accommodate custom environments
- H.264 video and television-like Pro-Motion video for unsurpassed quality
- Patent pending Polycom StereoSurround for superior, crystal clear audio
- Easy-to-use, customizable user interface
- Extensive API command support for AMX or Crestron touch panels
- IP ready yet versatile enough to add QBRI, PRI or Serial network interface modules
- Robust remote management tools for IT or video administrators

The ultimate in an easy-to-install, high performance video conferencing system.

A sleek rack mount design, professional grade connectivity and versatile interoperability make this product the perfect choice for integrated and custom environments. With considerations for form and function, the VSX 8000 is specially designed with professional integrators in mind. The slim, highly integrated, 1U design includes balanced line level input, integrated VGA input supporting People+Content collaboration and versatile network modules that fit into the back of the codec.

VSX 8800, VSX 8400, VSX 8000

For convenient integrated conferencing, the VSX 8000 is available as a bundled solution package with the Polycom Vortex® EF2280 and EF2241.

Item No.	Description
7200-21966-001	VSX 8800 IP (NTSC, 120V) includes: VSX 8000, MPPlus, People+Content, Polycom StereoSurround, AES Encryption, PowerCam Plus camera, 2 microphones, Stereo Speaker Kit, ImageShare™ II, English Remote, Country Group 54, 1st Year Standard Service. Order Network Modules separately
7200-21962-001	VSX 8400 IP (NTSC) includes: VSX 8000, People+Content, Polycom StereoSurround, AES Encryption, PowerCam camera, 2 Mic Pods, ImageShare II, English Remote, Country Group 54, 1st Year Standard Service. Order Network Modules separately
2200-21400-001	VSX 8000 Codec IP includes: AES Encryption, English Remote, Country Group 54, 1st Year Standard Service. Order Network Modules separately
7200-21963-001	VSX 8400 and VTX 1000 Bundle including: VSX 8400 w/o microphones, VTX 1000 w/o subwoofer, VSX/VTX Integration Kit, English Remote, Country Group 1, 1st Year Standard Service. Order VSX Network Modules separately
2215-21023-001	VSX 8000 Series, Network Module, PRI-T1, with cable
2215-20949-001	VSX 8000 Series, Network Module, Quad (4) BRI, with cables
5150-21297-001	VSX MPPlus Software License Key (works with VSX 3000, 7000, 8000)
2215-21360-001	VSX 8000 Series, Network Module, Series (V.35, RS449, RS530 with RS366 dialing), adapter cable, serial interface cable ordered separately
2201-50185-001	PowerCam Plus Main Camera, NTSC, for VSX 8000, VS4000, iPower 9000, 10 ft/ 3 m cable
2200-20960-001	PowerCam Main Camera, NTSC, for VSX 8000, VS4000, iPower 9000, 10 ft/ 3 m cable
2200-21969-120	Stereo Speaker Set, 120V includes: 2 Satellite speakers, subwoofer and speaker stands
2215-21903-001	VSX/VTX Integration Kit including: VTX Software upgrade license and Integration cables for VSX 7000/8000 and VTX 1000. Cables include two VSX/VTX interconnect cables (30 ft/9 m, 50 ft/15 m) and two VTX/VCSX interconnect cables (3 ft/1 m, 10 ft/3 m)
2457-21978-001	Cable, VSX 8000 to Vortex Audio/Control, 6 ft/1.8 m

Polycom Video Solutions



VS4000™

The VS4000 delivers high-performance video communications with extensive flexibility for custom integrations and applications. With small form factor, professional connectors, and premium audio/video quality, the VS4000 is the integrator's choice in or out of the rack.

Features

- Professional BNC video connectors that improve video quality, secure video connections, and make creating custom-length video cables easier than ever before
- High-performance voice, video, and data including support for up to four simultaneous monitors with an additional high-resolution projector
- Extended API commands for AMX/Crestron control panels, the VS4000 is the integrator's choice for custom integrations and vertical applications
- Intelligent video algorithm selection for premium video quality from low bandwidths (ITU-T H.264) to high (ITU 60 fields)
- Embedded multipoint support up to two Mbps connects up to four sites over IP, ISDN or mixed networks, plus one international analog phone line; cascading up to 14 sites (10 video plus 4 audio)
- Add simultaneous PC audio and XGA content while still seeing presenter
- Embedded graphics-based Web server for diagnostics and system management via the Internet
- RS-232 control / data communications port
- Optional private network support; V.35, RS-530, RS-449, and RS-366 interfaces
- Secure calling via embedded encryption – NIST-validated, FIPS-compliant AES (Advanced Encryption Standard)
- Optional NIST-validated, FIPS-complaint AES (Advanced Encryption Standard) security

Item No.	Description
7200-21090-001	VS4000 with IP, Polycom Executive Collection dual 5- in. Plasma, sound system, wall mount, system credenza <i>MPPlus</i> , PowerCam (NTSC), English remote, North American power cord
7200-21088-001	VS4000 with IP, Polycom Executive Collection single 50 in. Plasma, sound system, floor stand, <i>MPPlus</i> , PowerCam (NTSC), English remote, North American power cord
2200-20960-001	VS4000 (2U x 10" deep) and PowerCam (NTSC) with IP, professional BNC connectors, <i>MPPlus</i> , English remote, North American power cord
2200-20960-001	VS4000 (2U x 10" deep) with IP, professional BNC connectors, <i>MPPlus</i> , English remote, North American power cord
G2200-20960-001	VS4000 (2U x 10" deep) with IP, professional BNC connectors, <i>MPPlus</i> , English remote, North American power cord
2200-20960-001	PowerCam (NTSC) as main camera for VS4000 (PN 2200-21350-xxx only), 10 ft. cable.
8200-51095-001	PowerCam (NTSC) as auxiliary camera for VS4000, 50 ft. cable.
5150-21621-001	EX, FX, VS4000 Embedded Encryption (AES) Software License Key
5150-21622-001	EX, FX, VS4000 Embedded Encryption (AES) Software License Key
2200-22323-001	VS4000 with IP, <i>MPPlus</i> , English remote, North American power cord
G2200-22323-001	VS4000 with IP, <i>MPPlus</i> , English remote, North American power cord
2215-10646-001	QUAD BRI Interface, includes cable
2215-09180-001	PRI Module
2215-08970-001	Serial Module
2200-10500-001	Visual Concert™ FX

Polycom Video Solutions



Features

- Unparalleled Audio - crisp and crystal clear - With Polycom Siren 14 delivers sound that is as powerful as being in the same room
- Television-like Video - Exceptionally real, smooth motion video. Using H.264 advanced video compression, and Polycom Pro-Motion™, iPower 9000 series video is clear and natural. Supports up to four Mbps data rates over IP networks
- Easy to use and familiar system interface - Access through point-and-click wireless keyboard and remote controls, including an optional wireless tablet, for making presentations and accessing the Web, even when the system is not on a video conferencing call
- Internal Multipoint for IP based calls - Include up to 12 sites over an IP network - the industry's highest capacity internal multipoint
- Stream and Record conferences - Record video meetings for later viewing using only a Web browser
- Secure calls over IP networks - using optional AES encryption
- Highest performance platform for multimedia conferencing and collaboration
- Ultimate video with H.264* and best audio with Siren 14
- Most natural conferencing experience with intelligent automatic camera pointing technology on the iPower 9800
- Maximum choice of user controls
- Increased ROI with Off the Call usage
- Complete multimedia capabilities with real-time collaboration and integrated People+Content streaming
- Choice of single or dual high-resolution (XGA) Center - For a natural meeting environment
- Optional AES encryption for IP networks in a point-point call

iPower™ 9000 Series

Ultimate multimedia conferencing platform - Versatile, Flexible and Powerful, Polycom's iPower 9800 and 9400 provide an ideal platform for advanced multimedia presentations and meetings.

The iPower 9800 and 9400 video conference systems are available with the Polycom Media Center, which offers a complete multimedia package for a truly extraordinary video conferencing experience. Each iPower Media Center ships with high performance displays and a 270W audio subsystem to create a quality video conference, wherever and whenever you need it.

Item No.	Description
7200-52192-003	iPower 9800 (NTSC) with Media Center Cart and two 34-inch(32 viewable) Displays with V.35 interface as described in 2200-50611-001. One NTSC and one XGA multimedia display. Includes dual integrated speakers, subwoofer. DOES include English language kit
7200-52192-002	iPower 9800 (NTSC) with Media Center Cart and two 34-inch(32 viewable) Displays with QBRI interface as described in 2200-50609-001. One NTSC and one XGA multimedia display. Includes dual integrated speakers, subwoofer. DOES include English language kit
7200-52192-001	iPower 9800 (NTSC) with Media Center Cart and two 34-inch (32 viewable) Displays with IP interface as described in 2200-50610-001. One NTSC and one XGA multimedia display. Includes dual integrated speakers, subwoofer. DOES include English language kit
7200-52191-003	iPower 9800 (NTSC) with Media Center Cart and one 34-inch (32 viewable) XGA multimedia Display with V.35 interface as described in 2200-50611-001. Includes dual integrated speakers, subwoofer. DOES include English language components
7200-52191-002	iPower 9800 (NTSC) with Media Center Cart and one 34-inch (32 viewable) XGA multimedia Display with QBRI interface as described in 2200-50609-001. Includes dual integrated speakers, subwoofer. DOES include English language components
7200-52191-001	iPower 9800 (NTSC) with Media Center Cart and one 34-inch (32 viewable) XGA multimedia Display with IP interface as described in 2200-50610-001. Includes dual integrated speakers, subwoofer. DOES include English language components
7200-52202-003	iPower 9400 (NTSC) with Media Center Cart and two 34-inch(32 viewable) Displays with V.35 interface as described in 2200-50736-001. One NTSC and one XGA multimedia display. Includes dual integrated speakers, subwoofer. DOES include English language kit
7200-52202-002	iPower 9400 (NTSC) with Media Center Cart and two 34-inch(32 viewable) Displays with QBRI interface as described in 2200-50733-001. One NTSC and one XGA multimedia display. Includes dual integrated speakers, subwoofer. DOES include English language kit
7200-52202-001	iPower 9400 (NTSC) with Media Center Cart and two 34-inch (32 viewable) Displays with IP interface as described in 2200-50730-001. One NTSC and one XGA multimedia display. Includes dual integrated speakers, subwoofer. DOES include English language kit
7200-52201-003	iPower 9400 (NTSC) with Media Center Cart and one 34-inch (32 viewable) XGA multimedia Display with V.35 interface as described in 2200-50736-001. Includes dual integrated speakers, subwoofer. DOES include English language components
7200-52201-002	iPower 9400 (NTSC) with Media Center Cart and one 34-inch (32 viewable) XGA multimedia Display with QBRI interface as described in 2200-50733-001. Includes dual integrated speakers, subwoofer. DOES include English language components
7200-52201-001	iPower 9400 (NTSC) with Media Center Cart and one 34-inch (32 viewable) XGA multimedia Display, with IP interface as described in 2200-50730-001. Includes dual integrated speakers, subwoofer. DOES include English language kit



Polycom Video Solutions

Features

- Modern, slim design
- Superb picture quality
- High-fidelity audio system
- Flexible choices for any environment
- Highest bandwidth capability
- Best performance in market
- Simultaneous People+Content
- Latest PowerCam cameras
- Built in multipoint for adding sites
- Data-sharing at XGA quality end-to-end
- Smart, dynamic 360° microphone
- Easy graphical user interface

Executive Collection Wall Systems

For organizations seeking the best – this is it. Top-of-the-line performance and design for the most important conference rooms, the Executive Collection wall systems are ideally suited to the way many users want to integrate plasmas into meeting rooms. Thin wall-mounted plasma displays take up much less space than any other direct view solution.

The Executive Collection wall system combines leading video conferencing and collaboration capabilities (choice of iPower 9800 or VS4000 with options), choice of dual 61-inch or 50-inch high-resolution plasma monitors, a high-fidelity audio system, a credenza that houses the electronics, and a virtually transparent wall mounting system.

The Executive Collection high fidelity audio system delivers 270 watts of total power, with a high-efficiency amplifier, subwoofer, and two (2) satellite speakers, especially designed for large environments where voice, video, and multimedia communications require the highest performance sound quality. The wall system furniture includes a stylish credenza to house the codec, amplifier, and subwoofer with extra space for additional equipment. The dual plasma displays deliver high resolution (1366 x 768), high contrast, high brightness, and a 16:9 widescreen aspect ratio format. Full-size stereo speakers integrate to the sides of the wall-mounted plasma displays.

Polycom Video Solutions



Features

- Modern, slim design
- Superb picture quality
- High-fidelity audio system
- Flexible choices for any environment
- Highest bandwidth capability
- Best performance in market
- Simultaneous People+Content
- Latest PowerCam cameras
- Built in multipoint for adding sites
- Data-sharing at XGA quality end-to-end
- Smart, dynamic 360° microphone
- Easy graphical user interface

Executive Collection Floor Systems

For organizations seeking top-of-the-line performance and design for the most important conference rooms, yet prefer a solution that doesn't permanently mount on the wall, the Executive Collection Floor System is the best choice.

The Executive Collection Floor System combines leading video conferencing and collaboration capabilities (choice of a VSX 8800, an iPower 9800, or a VS 4000), with choice of single or dual 50-inch, high-resolution plasma monitors, a high-fidelity audio system, integrated into a sleek, stylish stand that houses the codec and audio sound system. All in a profile for the pedestal of less than 7-inches!

The 50-inch (127 cm) plasma displays deliver high resolution (1366 x 768), high contrast, high brightness, and a 16:9 widescreen aspect ratio format. The Executive Collection high fidelity audio system delivers 270 watts of total power, with a high-efficiency amplifier, subwoofer, and two (2) satellite speakers, especially designed for large environments where voice, video and multimedia communications require the highest performance sound quality.

Item No.	Description
7200-21090-001	Polycom Executive Collection dual 50 in. Plasma, sound system, wall mount, system credenza, VS4000 with IP, MPPlus, PowerCam (NTSC), English remote, North American power cord
7200-21091-001	Polycom Executive Collection dual 61 in. Plasma, sound system, wall mount, system credenza, VS4000 with IP, MPPlus, PowerCam (NTSC), English remote, North American power cord
7200-21088-001	Polycom Executive Collection single 50 in. Plasma, sound system, floor stand, VS4000 with IP, MPPlus, PowerCam (NTSC), English remote, North American power cord
7200-21089-001	Polycom Executive Collection dual 50 in. Plasma, sound system, floor stand, VS4000 with IP, MPPlus, PowerCam (NTSC), English remote, North American power cord
2200-50810-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, single 50 in. Plasma and floor stand, for connection to IP networks only
2200-50811-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, Dual 50 in. Plasmas and floor stand, for connection to IP networks only
7200-21900-001	Polycom Executive Collection, Wall Mount with System Credenza, VSX 8800 IP (NTSC, 120V), dual 61 in. Plasma, English Remote, Country Group 54. Order Network Modules Separately

Polycom Video Solutions

Executive Collection Wall & Floor Systems | Continued

Item No.	Description
7200-22000-001	Polycom Executive Collection, Wall Mount with System Credenza, VSX 8800 IP (NTSC, 120V), dual 61 in. Plasma, English Remote, Country Group 54. Order Network Modules Separately
7200-22100-001	Polycom Executive Collection with Floor Stand, VSX 8800 IP (NTSC, 120V), Dual 50 in. Plasma, floor stand, English Remote, Country Group 54. Order Network Modules Separately
7200-22200-001	Polycom Executive Collection with Floor Stand, VSX 8800 IP (NTSC, 120V), Single 50 in. Plasma, floor stand, English Remote, Country Group 54. Order Network Modules Separately
2200-50812-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, Dual 50 in. Plasmas for Wall mount, system credenza, for connection to IP networks only
2200-50813-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, Dual 61 in. Plasmas for Wall mount, system credenza, for connection to IP networks only
2200-50814-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, single 50 in. Plasma and floor stand, for connection to QBRI and IP networks
2200-50815-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, dual 50 in. Plasmas and floor stand, for connection to QUAD BRI and IP networks
2200-50816-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, Dual 50 in. Plasmas for Wall mount, system credenza, for connection to QUAD BRI and IP networks
2200-50817-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, Dual 61 in. Plasmas for Wall mount, system credenza, for connection to Quad and IP networks
2200-50818-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, single 50 in. Plasma and floor Stand, V.35/RS449 network connections
2200-50819-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, dual 50 in. Plasma and floor stand, V.35/RS449 network connections
2200-50820-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, Dual 50 in. Plasmas for Wall mount, system credenza, V.35/RS449 network connections
2200-50821-001	Polycom Executive Collection with complete iPower 9800 NTSC video conference system, Dual 61 in. Plasmas for Wall mount, system credenza, V.35/RS449 network connections
2583-50927-001	Executive Collection optional credenza to be added to EC floor or wall system (as second credenza with wall system) to support additional equipment needs. Furniture only - does not include a codec, sound system or other electronics

Polycom Video Solutions



Mainstream Best Sellers

Polycom's mainstream group video conferencing products are ideal for placement in small to medium sized rooms and offer robust audio and video, all in a set-top form factor.

The VSX™ 7800 and VSX™ 7400 offer Siren 14 audio with an integrated sound system, superior video using the most recent advancements in video technology and a customizable, easy-to-use interface. The ViewStation® FX is ideal for organizations that require extensive input and output connectivity in a set-top form factor. With complete interoperability with all Polycom video products, the ViewStation® EX is a complement to existing ViewStation deployments.

VSX 7000

Introducing the VSX 7000 Series – Video Conferencing Like You've Never Seen It!

If you've been looking for a way to bring the benefits of video conferencing to your organization, the Polycom VSX 7000 is the answer. For the first time, top quality video conferencing is available in an entry-level system. With the Polycom VSX 7000, we've combined the most technologically advanced audio, video, and processing into a single set-top system that's as easy to use as a telephone – all at an affordable price. The VSX 7000 is available with the Polycom Media Center, offering high end performance features, large displays, and precision audio so you can easily and quickly create a quality video meeting environment anywhere you need it.

With the addition of new VSX 7000 models, Polycom extends the VSX products into the mainstream category of group video conferencing. While the VSX 7000 is an excellent entry level system with a robust feature set, two models have been added to address the requirements of a medium size conference room. The VSX 7400 includes the base VSX 7000 system plus People+Content and the Second Display Adaptor Kit. This system is ideal for users that require extensive collaboration tools in a set-top configuration. The VSX 7800 includes the base VSX 7000 system plus People+Content, the Second Display Adaptor Kit, MPPlus software and an auxiliary speaker kit to support Polycom StereoSurround. This system is ideal for connecting multiple sites into one conference, sharing content from the laptop AND experiencing everything in full stereo audio. The VSX 7000 Series products all support VSX Release 7.0 and are fully interoperable with the V500, VSX 3000 and the VSX 8000 Series products.

Polycom Video Solutions

Features

- Polycom StereoSurround projected from left and right speakers gives the feeling of being there
- Add multiple voice and video participants to the same conference and increase productivity
- Standard People+Content is ideal for streamlined presentations
- Pair with the Media Center for a complete audio/visual experience
- Attach an auxiliary pan-tilt-zoom camera for participants in the back of the room
- H.264 video and television-like Pro-Motion video for unsurpassed quality
- 14 kHz wideband, crystal clear audio
- Easy-to-use, customizable user interface
- IP ready yet versatile enough to add QBRI, PRI or Serial network interface modules
- Robust remote management tools for IT or video administrators

Features

- Versatility in collaboration tools for a variety of applications
- Web streaming on or off the call for viewing at a later time
- Support for high-resolution graphics to an XGA monitor
- Dual monitor emulation allows both far and near video participants to be seen on a single display
- Seamless Voice and Video integration with the SoundStation VTX 1000 and the VSX 7400
- H.264 video and television-like Pro-Motion video for unsurpassed quality
- 14 kHz wideband, crystal clear audio
- Easy-to-use, customizable user interface
- IP ready yet versatile enough to add QBRI, PRI or Serial network interface modules
- Robust remote management tools for IT or video administrators

VSX 7800

Top-of-the-Line in Set-Top Video Conferencing Systems!

The VSX 7800 has every essential component to start collaborating right away.

The high-fidelity speaker kit enables patent pending Polycom StereoSurround so you hear every important word. Connectivity for a second display (ideal for an XGA monitor) is standard as is the People+Content feature for introducing high-resolution content from a laptop. When consultation with a remote location is necessary, you have the freedom to add multiple voice and video participants to the conference with the push of a button.

VSX 7400

Optimum Collaboration Capabilities in a Set-Top Video Conferencing System.

Capabilities include support for high-resolution People+Content, Web streaming for recording and viewing conferences at a later time and closed captioning support for hearing impaired participants. The flexibility of the serial port allows for connectivity of Teletype devices or medical devices in hospitals or doctors offices and external control devices such as an AMX or Crestron touch panel. This product is perfect for special applications with limited space.

For convenient integrated conferencing, the VSX 7400 is available as a bundled solution package with the SoundStation VTX 1000™.



Polycom Video Solutions

VSX 7000, VSX 7400, VSX 7800 | Continued

Item No.	Description
7200-21965-001	VSX 7800 IP (NTSC, 120V) includes: VSX 7000, MPPlus, People+Content (Visual Concert), Polycom StereoSurround, AES Encryption, 2 microphones, Stereo Speaker Kit, English Remote, Country Group 54, 1st Year Standard Service. Order Network Modules separatel.
7200-21960-001	VSX 7400 IP (NTSC) includes: VSX 7000, People+Content (Visual Concert), Stereo Ready, 2nd Monitor Adapter, AES Encryption, English Remote, Country Group 54, 1st Year Standard Service. Order Network Modules separately
7200-21961-001	VSX 7400 and VTX 1000 Bundle including: VSX 7400 w/o Microphone, VTX 1000 w/o subwoofer, VSX/VTX Integration Kit, English Remote, Country Group 1, 1st Year Standard Service. Order VSX Network Modules separately
2215-20780-001	VSX 7000 Series, Network Module, PRI-T1, with cable
2215-20523-001	VSX 7000 Quad BRI Module, includes cables
2215-21359-001	VSX 7000 Serial Network Module (V.35, RS449, RS530 with RS366 dialing), adapter cable, serial interface cable ordered separately
2200-20560-001	VSX 7000 People+Content (includes Visual Concert VSX)
2200-21330-001	VSX 7000 Second Display Adapter
5150-21297-001	VSX MPPlus Software License Key (works with VSX 3000, 7000, 8000)
2215-20730-001	VSX Additional Microphone Kit – Contains 1 Microphone with 10' Cable
2215-20933-001	Advanced Infrared Remote Control – English
2200-21969-120	Stereo Speaker Set, 120V includes: 2 Satellite speakers, subwoofer and speaker stands
2215-22001-001	VSX 7000 and ViewStation System Shelf for mounting on flat panel displays
2215-21903-001	VTX/VSX integration kit includes: VTX Software upgrade license and Integration cables for VSX 7000/8000 and VTX 1000. Cables include 2 VSX/VTX interconnect cables (30 ft/9 m, 50 ft/15 m) and 2 VTX/VCSX interconnect cables (3 ft/1, m. 10 ft/3.05 m)

Polycom Video Solutions



Features

- Embedded *MPPlus* multipoint delivers up to 2 Mbps for four video sites (including IP, ISDN and mixed networks) plus an additional analog phone line (PSTN); cascading up to 14 sites
- Intelligent video algorithm selection for premium video quality from ITU-T H.264 at low bandwidths to ITU 60 fields at high bandwidths
- Simultaneous display of high-resolution XGA content and high quality video with People+Content and support for multiple video monitors and XGA projector
- Supports four independent monitors plus a projector
- Embedded multicast streaming to the Web
- RS-232 control / data communications port
- Full-duplex, wideband, digital audio with automatic gain control, echo cancellation, and noise suppression
- Embedded graphics-based Web server for diagnostics and system management via the Internet
- Optional private network support; V.35, RS-530, RS-449, and RS-366 interfaces
- Secure calling via embedded encryption – NIST-validated, FIPS-compliant AES (Advanced Encryption Standard)

ViewStation FX

The ViewStation FX delivers mainstream video communications for any conference room or office.

The ViewStation FX is available with the Polycom Media Center that offers a complete multimedia package for a truly extraordinary video conferencing experience. Each ViewStation FX Media Center ships with high-performance display options and a 270-watt audio subsystem to create a quality video conference, wherever and whenever you need it.

Item No.	Description
7200-21660-001	ViewStation FX (NTSC) with Media Center Cart and two 34-inch (32 viewable) Displays, IP as described in 2200-20323-001, VCFX, Eng remote, NA power. One NTSC display, one XGA multimedia display. Includes dual integrated speakers, subwoofer
2200-20323-001	ViewStation FX (NTSC) with IP, MultiPoint Plus, English remote, North American power cord
2215-08970-001	ViewStation EX, FX or VS4000 Serial Module, includes cable to codec - must order serial cable separately
2215-09180-001	ViewStation FX or VS4000 PRI Module with T-1/J-1 Interface, includes cables
2215-10646-001	ViewStation EX, FX or VS4000 Quad BRI Interface, includes cables (North America)
2200-10500-001	VisualConcert FX for ViewStation EX, FX, VS4000 (North American power cord)
5150-21621-001	EX, FX, VS4000 Embedded Encryption (AES) Software License Key
5150-21622-001	EX, FX, VS4000 H.264 Software License Key
8200-51097-001	PowerCam (NTSC) as auxiliary camera for ViewStation FX, 50ft cable

Polycom Video Solutions



Features

- Intelligent video algorithm selection for premium video quality from ITU-T H.264 at low bandwidths to ITU 60 fields at high bandwidths
- Simultaneous display of high-resolution XGA content and high-quality video with People+Content and support for dual video monitors and XGA projector
- Optional performance upgrades ensure performance expansion is available as your conferencing needs grow
- Supports up to 2 Mbps IP and 512 kbps ISDN
- International analog telephone phone support (PSTN)
- Embedded multicast streaming to the Web
- RS-232 control / data communications port
- Full-duplex, wideband digital audio with automatic gain control, echo cancellation and noise suppression
- Embedded graphics-based Web server for diagnostics and system management via the Internet
- Optional private network support; V.35, RS-530, RS-449, and RS-366 interfaces
- Optional mixed network, internal MCU
- Secure calling via embedded encryption – NIST-validated, FIPS-compliant AES (Advanced Encryption Standard)

ViewStation EX

The ViewStation EX delivers mainstream video communications for any conference room or office.

The ViewStation EX is available with the Polycom Media Center that offers a complete multimedia package for a truly extraordinary video conferencing experience. Each ViewStation EX Media Center ships with high-performance display options and a 270-watt audio subsystem to create a quality video conference, wherever and whenever you need it.

Item No.	Description
7200-21665-001	ViewStation EX (NTSC) with Media Center Cart and one 34-inch (32 viewable) NTSC display, with IP as described in 2200-20700-001, Eng remote, NA power. Includes dual integrated speakers and subwoofer
2200-20700-001	ViewStation EX (NTSC) with IP, English remote, North American power cord
2200-20800-001	ViewStation EX (NTSC) with IP, MultiPoint Plus, English remote, North American power cord
2215-08970-001	ViewStation EX, FX or VS4000 Serial Module, includes cable to codec - must order serial cable separately
2215-10646-001	ViewStation EX, FX or VS4000 Quad BRI Interface, includes cables (North America)
2200-10500-001	VisualConcert FX for ViewStation EX, FX, VS4000 (North American power cord)
2200-20900-001	ViewStation EX MultiPoint Plus software option key
5150-21621-001	EX, FX, VS4000 Embedded Encryption (AES) Software License Key

Polycom Video Solutions



Entry Level

Ideal solutions for essential video conferencing in any size organization, these products fulfill all of the requirements for productive, high quality audio and video communications.

The VSX 7000 brings Polycom StereoSurround with an integrated sound system, superior video using the most recent advancements in video technology and a customizable, easy-to-use interface to the Entry level. The ViewStation® SP 128 is a consistent performer of the ViewStation product line and is a complement to existing ViewStation deployments.

VSX™ 7000

With the Polycom VSX 7000, we offer top-quality video conferencing in an entry-level system that's as easy to use as a telephone. The VSX 7000 ships with the Polycom Media Center which offers high end performance features, large displays, and precision audio so you can easily and quickly create a quality video meeting environment anywhere you need it.

Features

- Polycom StereoSurround
- SoundStation VTX 1000 Integration
- SIP Support
- H.264 video
- Voice Calls Over ISDN
- API Command Support
- SNMP Support
- Continuous Presence in a Multi-Point Call
- Cascading on Multi-Point Calls
- Web Streaming
- Web Director Remote Monitoring
- Closed Captioning Support
- H.239 People+Content
- And More!

Item No.	Description
2200-10800-001	VSX 7000 (NTSC) includes: English Remote, North American power cords, IP only (network modules ordered separately), 1st Year Standard Service
7200-21661-001	Polycom Media Center with VSX 7000 includes People & Content
2215-20780-001	VSX 7000 Series, Network Module, PRI-T1, with cable
2215-20523-001	VSX 7000 Quad BRI Module, includes cables
2215-21359-001	VSX 7000 Serial Network Module (V.35, RS449, RS530 with RS366 dialing), adapter cable, serial interface cable ordered separately
2200-20560-001	VSX 7000 People+Content (includes Visual Concert VSX)
2200-21330-001	VSX 7000 Additional Display Adapter
5150-21297-001	VSX MPPlus Software License Key (works with VSX 3000, 7000, 8000)
2215-20730-001	VSX Additional Microphone Kit – Contains 1 Microphone with 10' Cable
2200-21969-120	Advanced Infrared Remote Control – English
2200-21969-120	Stereo Speaker Set, 120V includes: 2 Satellite speakers, subwoofer and speaker stands
2215-22001-001	VSX 7000 and ViewStation System Shelf for mounting on flat panel displays
2215-21903-001	VTX/VSX integration kit includes: VTX Software upgrade license and Integration cables for VSX 7000/8000 and VTX 1000. Cables include 2 VSX/VTX interconnect cables (30 ft/9 m, 50 ft/15 m) and 2 VTX/VCSX interconnect cables (3 ft/1, m. 10 ft/3.05 m)

Polycom Video Solutions



Features

- High quality images up to 768 kbps IP and 128 kbps ISDN
- Full-duplex, wideband, digital audio with automatic gain control, echo cancellation and noise suppression
- Embedded, graphics-based Web server for diagnostics and system management via the Internet

ViewStation SP 128

The ViewStation SP 128 offers video conferencing performance you expect from Polycom at an extraordinary value. With standards based audio and video, the ViewStation SP 128 is fully interoperable with existing video conferencing systems and small enough to sit conveniently on any size television monitor. The ViewStation SP delivers quality video communications for small offices or home offices.

Item No.	Description
2200-08527-001	ViewStation SP 128 (NTSC) with IP, single BRI, English remote, North American power cord

Features

- Natural voice pickup within 20 feet of the conference room
- Remove tabletop clutter by using the conference phone as the microphone for voice and video conferences
- Place video calls from the conference phone keypad
- Add voice calls to a video conference from the phone keypad
- With MPP/plus capabilities installed on the VSX, add up to (4) video and (1) audio participant on a single call

Voice and Video Integration

Soundstation VTX 1000 & VSX 7400 or VSX 8400 Solutions

Video conferencing is now as easy as making a phone call! With the integration of the revolutionary SoundStation VTX 1000, VSX 7400 and VSX 8400 users can replace their video system microphones with Polycom's award-winning SoundStation VTX 1000 conference room.

Item No.	Description
7200-21961-001	VSX 7400 and VTX 1000 Bundle including: VSX 7400 w/o Microphone, VTX 1000 w/o subwoofer, VSX/VTX Integration Kit, English Remote, Country Group 1, 1st Year Standard Service. Order VSX Network Modules separately
7200-21963-001	VSX 8400 and VTX 1000 Bundle including: VSX 8400 w/o microphones, VTX 1000 w/o subwoofer, VSX/VTX Integration Kit, English Remote, Country Group 1, 1st Year Standard Service. Order VSX Network Modules separately
2215-21960-001	VSX/VTX Integration Kit including: VTX Software upgrade license and Integration cables for VSX 7000/8000 and VTX 1000. Cables include two VSX/VTX interconnect cables (30 ft/9 m, 50 ft/15 m) and two VTX/VCSX interconnect cables (3 ft/1 m, 10 ft/3 m)
2457-21978-001	Cable, VSX 8000 to Vortex Audio/Control, 6 ft/1.8 m

Polycom Video Solutions

Features

- Sleek, slim-line design minimizes space requirements in rack-mount configurations
- Highest quality audio and video solution available
- Seamless integration with serial port connectivity
- Extensive API command support to control the devices

Polycom Vortex and VSX Video Solutions

A winning combination - Polycom Vortex® Installed Voice conferencing system and Polycom VSX 8000 Series Video conferencing system

Installed voice and video conferencing has never been more convenient! Enjoy the benefits of an integrated, rack-mount solution, with its ease-of use, custom designed loudspeaker and microphone configurations and the high-quality experience of Polycom voice and video conferencing solution. The availability of these configurations extends design flexibility to any environment, provisioning for up to 64 tabletop, ceiling or wireless microphones, anywhere you need them! The Vortex built-in multi-channel echo canceller improves audio intelligibility to remote sites while noise processing minimizes background noise. The VSX 8000/Vortex EF2280 combination provides connectivity for up to (8) external microphones, while the VSX 8000/Vortex EF2241 combination provides connectivity for up to (4) external microphones and an additional analog telephone line. Choose the bundle that's right for your environment.

Item No.	Description
7200-21967-001	VSX 8000 and Vortex EF2241 Bundle including: VSX 8000 to Vortex Audio/Control Cable, English Remote, Country Group 1, 1st Year Standard Service. Order VSX 8000 Network Modules separately.
7200-21968-001	VSX 8000 and Vortex EF2280 Bundle including: VSX 8000 to Vortex Audio/Control Cable, English Remote, Country Group 1, 1st Year Standard Service, Order VSX 8000 Network Modules separately.
2215-21960-001	VSX/VTX Integration Kit including: VTX Software upgrade license and Integration cables for VSX 7000/8000 and VTX 1000. Cables include two VSX/VTX interconnect cables (30 ft/9 m, 50 ft/15 m) and two VTX/VCVSX interconnect cables (3 ft/1 m, 10 ft/3 m)

Polycom Video Solutions



Features

- Completely Integrated – All-in-one video conferencing system includes camera, display, speakers, cables and microphone
- Versatile Display – Built-in 17" LCD flat screen with added ability to act as a high resolution PC desktop display
- Superior Audio – Polycom Siren™ 14 with integrated speakers delivers 14 kHz of wideband sound while Polycom StereoSurround delivers that same incredible audio in rich stereo
- Outstanding Video – Premium quality video at any bandwidth with standards based H.264
- Easiest to Use – User-friendly and customizable graphical interface makes video conferencing a breeze and provides maximum user flexibility
- Portable – Sleek, compact design delivers high-quality, face-to-face video communication within space constrained environments. Simply plug into any IP or ISDN network
- Maximum Calling Capacity – Optional Internal multipoint connects up to four video sites (IP, ISDN or mixed) directly from the Polycom VSX 3000 in a continuous presence or voice activated mode – see all callers at once or one at a time. ISDN voice callers can be added within the internal multipoint function
- Enhanced Features – Integrated AES encryption for secure calls

Office

Face-to-face calling solutions: From your office, from your home, or on the road.

Polycom has the right video conferencing solutions to address the unique requirements of the office environment.

Polycom ViaVideo® II quickly and easily connects to your desktop or laptop PC, so within minutes you'll be talking, via video, to customers and colleagues around the world. You can even send Video Mail messages from your ViaVideo II - a great personalized way to keep in touch.

The Polycom VSX™ 3000 delivers an integrated high quality video conference solution ideal for Executive offices, Doctor's offices or Education resource rooms. The VSX 3000 extends the conference room to the personal office environment.

The Polycom V500™ provides personal video calling within any type of office – including those who work from home- simply plug the system into your high speed broadband network, connect to any size television display and start the video call.

Polycom VSX 3000

The world's most advanced, fully integrated video conferencing system for executive office and remote offices.

The Polycom VSX 3000 is a stylish and compact video conferencing system that provides excellent video and audio quality. Featuring an integrated LCD screen, the Polycom VSX 3000 is the perfect video conferencing solution for executive suites and remote offices. As a fully integrated video conferencing system, the Polycom VSX 3000 is easier to use in a shared environment, delivering ease of use with powerful video and audio performance. The Polycom VSX 3000 also can act as a PC display when not in a video call – saving valuable desk space.

Item No.	Description
2200-21601-001	VVSX 3000 QBRI system (NTSC) includes: English Remote, North American power cords. Suitable for country region 44
2200-21600-001	VSX 3000 IP-only system (NTSC) includes: English Remote, North American power cords. Suitable for country region 44
5150-21297-001	VSX MPPlus MultiPoint Software Option Key (VSX 3000, VSX 7000, VSX 8000)

Polycom Video Solutions



Polycom V500

Features

- Simple, essential video calling – When you need to talk face to face. Connects to any television, uses a TV-like remote
- No compromise – no comparison – Natural smooth motion video and near-CD quality audio for effective communications at a distance
- Affordable – For about the price of a laptop computer you can realize the benefit of video conferencing
- Fully broadband capable for today's IP networks – Leverage your Cable, DSL or LAN connections; also supports single ISDN connection
- Full range of system management and IP based Quality of Service (QoS) tools – Insure call integrity highest quality video experience
- Easy to use and versatile – With the Polycom graphical user environment, you can fine tune the menu and application tools to meet your specific video calling application
- Secure video calls – Integrated AES encryption so you're confident your video calls are secure
- Integrated camera and microphone – Allows the Polycom V500 to easily fit into small offices and constrained spaces

A simple and affordable video calling system for small businesses, remote offices and telecommuters who need to talk face-to-face.

For the first time simple, affordable, video calling is now available with unparalleled audio and video quality. As easy to use as your television, the Polycom V500 brings the benefit of video conferencing to everyone. Together with its superior audio and video performance, the Polycom V500 is affordable and supports industry standards so you can call anyone, anywhere. The Polycom V500 is light, portable and easy to install and configure for your office.

Item No.	Description
2200-21500-001	V500 IP-only system (NTSC) includes: English Remote, North American power cords. Suitable for country region 44
2200-21501-001	V500 SBRI system (NTSC) includes: English Remote, North American power cords. Suitable for country region 44

Polycom Video Solutions



Desktop

Features

- Natural full-motion video up to 512 kbps, 30 fps
- Advanced camera technology for the best video quality - even in poor lighting conditions!
- IP network Quality of Service (QoS) with Polycom Video Error Concealment (PVEC) and DiffServ
- Full-duplex wideband audio with echo cancellation, noise suppression, and gain control
- Intuitive graphical user interface for simplified setup and ease of use
- Supports 11 languages, including on-screen user guidance
- Far end camera control
- Multiple-monitor support for expanded desktop viewing
- Integration with Polycom WebOffice™ conferencing portal allows one-click conferencing and collaboration
- On-demand multipoint conferencing via WebCommander™ or Conference-on-Demand

Not just another webcam, the Polycom Desktop system, ViaVideo II, delivers business-quality desktop video conferencing from the convenience of your PC.

ViaVideo II quickly and easily connects to your desktop or laptop PC, so within minutes you'll be talking, via video, to customers and colleagues around the world. You can even send Video Mail messages from your ViaVideo II - a great way to keep in touch.

Polycom desktop systems are the easy way to communicate face-to-face from your office, from your home, or on the road.

ViaVideo II

The Industry's Best Personal Video Communications System

Polycom ViaVideo II is the world's most advanced, fully integrated personal video communication system. Connecting easily to your desktop or laptop PC through a USB connection, ViaVideo II delivers unmatched business-quality video, audio and collaboration capabilities.

In addition, ViaVideo II offers an intuitive, new graphical user interface that makes personal video conferencing as natural as any other desktop application. With expansive remote (Web) management tools and deep integration capabilities with the Polycom Office™, it is a perfect enhancement to any communications network.

Item No.	Description
2200-20500-001	ViaVideo II Desktop Video Communication System: US, Canada, Guam, Puerto Rico, Virgin Islands

Polycom Video Solutions



Accessories

Polycom Media Center

Features

- Choice of single- or dual-display Media Center systems: Select a traditional single XGA/TV-grade resolution display solution for a small to medium-size conference room that shows all video conference activity (people and content) or choose a dual-display solution to show video on an NTSC or PAL display while viewing the meeting content on an high-resolution XGA display
- 270W High Fidelity Sound System: Each Polycom Media Center solution includes a high-fidelity sound system (270W) that maximizes the essence of Polycom's award-winning audio technology
- Functional and Stylish Mobile Stand: For single or dual displays, allowing easy transport of video conferencing systems within an organization
- Integrated high-fidelity sound system designed for environments that require the best in sound quality — includes subwoofer and (2) satellite speakers
- Secure and flexible cart for storing all video conference systems and peripherals
- Supports up to three 2U-high video devices on a rack or set of shelves
- Sturdy wheels with larger radius to negotiate all types of surfaces
- Available with Polycom iPower 9800 and iPower 9400, ViewStation EX, ViewStation FX, or VSX 7000 systems The Polycom Media Center offers unmatched flexibility in system packaging that creates an aesthetically pleasing design for all styles of conference room decors

The versatile Polycom Media Center provides high-end performance features, large displays, and precision audio so you can easily and quickly create a quality video meeting environment anywhere you need it.

Designed for customization and integration - Polycom Media Center solutions provide unique video conferencing systems that fit most enterprise environments with the flexibility to mix and match the rollabout cart, displays, conferencing systems - providing a wide choice of options to address specific needs.

Because the Polycom Media Center package offers you a choice of configurations, you can choose the right one for any type of environment. For example, the Media Center single display system manages all the conference activity, especially useful when conference room space is at a premium.

Does your conference call involve graphical based content such as Microsoft® PowerPoint® presentations? Choose the dual display systems with an XGA resolution display, which allows you to view high resolution content in its natural form. Also, with a two display Polycom Media Center configuration, you can see both the presenter and the presentation at the same time, allowing for direct eye contact throughout the call. One display is dedicated to hosting content, while the second display shows local or far-end video in a full screen format, for a more natural meeting experience.

All together, Polycom's Media Center combined with any of Polycom video conference systems and complementary meeting tools, may just be the most versatile system on the market today.

Each Polycom Media Center ships with a 270-Watt, high-performance sound system that delivers crystal-clear audio when coupled with Polycom's industry-leading Siren™ 14 audio technology. With Polycom Siren 14 Plus, including integrated speaker and subwoofer, you'll enjoy sound that's as powerful as being in the same room. A large, 32" display package is available in single or dual-monitor configurations. The secure, durable cart provides extra storage for additional conference peripherals, while its sturdy mobile design makes it easy to move over any surface.

Benefits

- Provides crystal clear communication
- Enables digital, analog and IP connections
- Facilitates more effective meetings
- Increases productivity
- Easy to use

Polycom gets everybody talking. That's because Polycom, the market leader in voice conferencing, makes voice solutions better. Whether it's for the individual office or the largest auditorium, we make calls and conferences crystal clear with our Acoustic Clarity Technology. This means you spend more time doing what's important, and no time struggling to understand what was said or waiting for your turn to talk. Available for use over multiple networks — including packet networks for cost-effective Voice over IP communication— our voice solutions provide an integrated user experience for converged voice, video, data, and Web communications. You shouldn't always believe what you hear — unless it's over Polycom voice conferencing equipment. The Polycom range of voice products proves a solution for any size room, in any environment. With Polycom, it's a great time to talk.

Hear the Difference

A Polycom full-duplex conference phone allows simultaneous natural conversation as though you are talking together in person. Hear the difference with a [flash](#) demo of the SoundStation VTX1000 Mic Pick-Up and Wideband Audio.

Polycom Voice Solutions



Features

- Full-duplex conferencing performance
- Caller ID with Caller ID on Call Waiting
- 32-Character LCD display
- 99-Number call history directory
- Any-key dialing
- Integrated headset amplifier, hanger, and controls
- Programmable speed dials:
 - 36 for SoundPoint Pro SE-220
 - 99 for SoundPoint Pro SE-225

Desktop Solutions: SoundPoint® Pro Systems

Ideal for Small Offices and Business

With the Polycom SoundPoint Pro you get excellent full-duplex clarity – which means both parties can talk at the same time. Meetings run more smoothly. Productivity increases. Both the SE-220 and the SE-225 models have an integrated headset amplifier, multiple programmable speed dials, and a power user feature set for ease of use. Change modes with a touch of a key or by lifting the handset.

SoundPoint Pro SE-220 Desktop Conference Phone – Ideal for one-to-one conversations and optimized for the desktop and hands-free use, this single-mic solution is ideal for small/home offices and small business conferencing environments.

SoundPoint Pro SE-225 Professional Conference Phone – Optimized for the office. Keypad activated rear mic provides up to 360-degree meeting coverage. Single-cable-to-console design maximizes portability for side table conferencing.

Item No.	Description
2200-06315-001	SoundPoint Pro SE-220 2-Line Desktop Conference Phone
2200-06325-001	SoundPoint Pro SE-225 2-Line Professional Conference Phone

See our voice accessories at the end of this section.



Polycom Voice Solutions

Desktop Solutions: SoundPoint IP Systems

Gain the Benefits of IP Communication

The SoundPoint® IP Family: Power of Network and Simplicity of a Phone

- Easy to use — dedicated buttons and large display
- Easy to install and upgrade — moves and changes are simple
- Wide choice — interoperability with IP PBX and Softswitch vendors
- One wire — for voice, video, and data, reduces costs
- Investment protection — leadership in standards development

Polycom VoIP Desktop Solutions

A future proof choice for IP communications

Our rich media VoIP endpoints provide an easy transition from traditional PBX systems into the world of IP with both dedicated feature-keys and context sensitive soft-keys allowing users to easily access the features and functionality of the IP telephony system. The phones utilize our award-winning sound quality and hands-free full-duplex speakerphone technology allowing for natural, two-way conversations. We work closely with leading IP PBX and Softswitch vendors, providing you a choice in endpoints and IP telephony solutions that will best serve your business communications needs.

SoundPoint® IP Family

SoundPoint IP provides a superior communication experience with outstanding sound quality. Upgradeable phones enable new applications, unified messaging, call management, and Customer Relationship Management to merge voice and data on your desktop. Large display screen and programmable soft keys allow users to access the rich, advanced features.

Polycom Voice Solutions



Desktop Solutions: SoundPoint IP Systems | Continued

SoundPoint IP 300

Features

- Freedom to choose from standards-based IP PBX and Softswitch solutions
- Full-featured, easy-to-use
- Superb audio quality
- Hands-free full-duplex speakerphone
- Field upgradeable
- Dual Ethernet ports

The SoundPoint IP 300 is a high-quality, entry-level, two line desktop phone. Suitable for core enterprise functionality, the SoundPoint IP 300 includes a two-port 10/100 Ethernet switch, a 4 line x 20 character LCD, and 10 dedicated hard keys. It has a one-way monitor speaker suitable for listening to conference calls or voicemail.

SoundPoint IP 500

The SoundPoint IP 500 is a mid-range, easy-to-use, two or three-line, full-duplex, desktop phone. It's a feature rich, upgradeable phone that adapts to evolving protocols and changing business needs. Includes a two-port 10/100 Ethernet switch, a large display and 13 programmable feature keys for one-button access to common telephony features.

SoundPoint IP 600

This high-performance six-line desktop phone is designed for multi-line telephony usage found in departments/work groups sharing lines, informal call centers and administrative assistants. It has a redesigned acoustical structure providing for better sound and speakerphone quality, and a sharper, graphical LCD capable of supporting Asian characters. It also has built-in support for both Cisco and IEEE 802.3af Power over Ethernet.

Item No.	Description
2200-11330-001	SoundPoint IP 300, 2-line IP desktop phone with SIP protocol for North America. Ships with 110V North American power supply
2200-11500-001	SoundPoint IP 500, 110 V
2200-11530-001	SoundPoint IP 500, 3-line desktop phone with SIP protocol for North America, 110V
2200-11630-001	SoundPoint IP 600, 6-line IP desktop phone with SIP protocol for North America. Ships with 110V North American power supply

These products must be connected to an authorized IP PBX or Softswitch vendor's solutions.

See **www.polycom.com** for a list of Polycom Technology Partners.
Our H.323 products are independently functional using Polycom's PathNavigator™.

Polycom Voice Solutions



Features

- Full-duplex performance
- 3 microphones/1 speaker
- Mute, flash, hold, redial
- Data port
- Wall mountable
- 33% smaller than SoundStation
- 1 year warranty

Small Room Solutions: VoiceStation™ 100

Big Sound for Smaller Rooms

Why wait for a conference room? VoiceStation 100 delivers professional quality conferencing to offices and other smaller meeting areas. VoiceStation 100 is affordable for just about any office, and is ideal for meetings of up to four participants.

With its proven Polycom voice technology and stylish new look, VoiceStation 100 is the meet-any-time conference phone that will have everybody talking!

Item No.	Description
2200-06846-001	VoiceStation 100 for North America

See our voice accessories at the end of this section.

Polycom Voice Solutions



Features

- Echo cancellation and noise suppression adapt automatically to changing rooms and telephone lines
- Mute buttons/dual color LED status lights
- Powerful speaker
- Three quality cardioid microphones
- Full-duplex operation makes conversation natural and clear
- 1 year warranty

Conference Room Solutions: SoundStation® Family

Ideal for Small Conference Rooms or Offices

SoundStation's style and functionality are known throughout the world. That's because SoundStation conference phones make natural, full-duplex (two-way) conversations easy without "clipping" or distortion. They are powered by Polycom's Acoustic Clarity Technology – our award-winning voice communications technology. Simple to install and use, extension microphones expand the range for medium-sized rooms.

SoundStation (non-expandable) – Ideal for day-to-day group collaboration in ad-hoc meeting rooms, breakout rooms, and small-to-medium conference rooms. Full-time 360-degree coverage assures that everyone in the room can be heard.

SoundStation EX (expandable) – Two expandable mic ports make the SoundStation EX ready for improved meeting coverage.

Item No.	Description
2200-00106-001	SoundStation
2200-01423-001	SoundStation EX
2200-00696-001	SoundStation EX w/Two Extended Mics
2200-00697-001	SoundStation EX w/Two Extended Mics & Wireless Mic System

See our voice accessories at the end of this section.

Polycom Voice Solutions



Features

- Freedom to choose multiple protocols
- PC access via Web browser
- Full-duplex speakerphone with Acoustic Clarity Technology
- Graphical LCD display
- Three context-sensitive soft keys
- Simple to install

Conference Room Solutions: SoundStation® IP Family

Go pure IP – no need for special terminal adapters or lines in your conference room! Using your new or existing IP network, the SoundStation IP allows for an effortless and superior IP voice conferencing experience. Our family of VoIP solutions delivers optimal voice conferencing performance and reliability that's just like being there. With the LCD screen and programmable soft keys, the SoundStation IP enables you to simply access the rich, advanced features of our newest conference room phone.

SoundStation® IP 3000 – As Polycom's first Voice over IP standards-based conference phone, the SoundStation IP 3000 delivers the same Acoustic Clarity Technology that has made us the leader in analog conferencing. It accommodates leading protocols and is upgradeable, allowing customers to protect their investment as standards and protocols evolve. The easy-to-use display provides access to call management features through an intuitive interface. Supports H.323 V2 protocol, and interoperates with Polycom VSX, ViewStation, ViaVideo II, and PathNavigator.

SoundStation® IP 3000 – 3Com® NBX®

SoundStation IP 3000 – 3Com® NBX® – Building upon the features of the SoundStation IP 3000, the 3Com NBX version was developed to seamlessly integrate with 3Com SuperStack® 3 and NBX 100 Networked Telephony Solutions. Allows for easy conferencing with up to four parties without the need for special analog lines or analog terminal adapters. Just plug the phone into your existing network and, from the conference room, access all the NBX features you are used to on the desktop.

Features

- Field upgradeable
- Full-duplex operation
- Intuitive access to call management features
- 360-degree room coverage
- Digital custom speaker and
- Three sensitive microphones

Item No.	Description
2200-06622-001	SoundStation IP 3000, North America
2200-06632-001	SoundStation IP 3000, 3com-NBX, North America

These products must be connected to an authorized IP PBX or Softswitch vendor's solution. See www.polycom.com for a list of Polycom Technology Partners.

Polycom Voice Solutions



Conference Room Solutions: SoundStation Premier®

SoundStation Premier provides high-quality sound for medium-sized conference rooms or executive offices. Our full-duplex technology allows you to talk and listen at the same time, just as naturally as if you were in the same room. No clipping, echoes, or distortion as with ordinary speakerphones. SoundStation Premier's dynamic switching microphones activate only one console microphone at a time, dynamically switching between active talkers up to 256 times a second!

SoundStation Premier (non-expandable) – Optimized for medium-sized conference rooms. SoundStation Premier's gated microphones with Intelligent Microphone Mixing is the closest thing to handset quality in a conference phone.


SoundStation Premier (with expandability option and infrared remote keypad) – The same outstanding quality as the basic model, but includes microphone ports and remote keypad.

SoundStation Premier with two extended hypercardioid microphones – Includes two external extension mics for improved meeting coverage. Includes infrared remote control keypad. Also available with wireless lapel mic for stand-up presenters.

Item No.	Description
2200-05200-001	SoundStation Premier (Non-Expandable)
2200-01900-001	SoundStation Premier (w/ Expandability and IR Remote Keypad)
2200-03200-001	SoundStation Premier w/Two Extended Hypercardioid Microphones
2200-03400-001	SoundStation Premier w/Two Extended Hypercardioid Microphones & Wireless Microphone System

See our voice accessories at the end of this section.

Polycom Voice Solutions



SoundStation Premier Satellite™

Features

- Power to fill larger rooms with two rare earth magnet neodymium speakers delivering theater-quality sound
- Privacy auto-detection when used with a handset phone
- Supports up to eight microphones
- Docking provides battery recharging for the wireless lapel mic
- Connectivity for standard analog line

Fill the Room with Clarity

The Polycom SoundStation Premier Satellite system adds a second powerful speaker to the Polycom SoundStation Premier integrated speaker to fill larger rooms with crystal clear sound. In addition to three embedded mics on the system, it can be configured to support four extension microphones for broader coverage and an optional 900 MHz rechargeable wireless lavalier microphone. Featuring a modular, portable design, Polycom SoundStation Premier Satellite is easy to install and use.

Item No.	Description
2200-02600-001	SoundStation Premier Satellite with 900 MHz Wireless Mic (*1)
2200-02601-001	SoundStation Premier Satellite Non-Wireless
2200-09000-001	Bundle 1: Satellite Without Wireless Capability and Premier (Non-Expandable)
2200-09100-001	Bundle 2: Satellite Without Wireless Capability and Premier EX With Two EX Mics
2200-09200-001	Bundle 3: Satellite WITH Wireless Mic & Premier EX with Two EX Mics
2200-09300-001	Bundle 4: Satellite WITH Wireless Mic, Two EX Mics & Premier EX with Two EX Mics
2200-09400-001	Bundle 5: Satellite without Wireless Capability with Two Hypercardioid Mics and Premier EX With Two Hypercardioid Mics

Satellite is compatible with Premier version C or higher.
See our voice accessories at the end of this section.



Polycom Voice Solutions

Digital PBX Solutions

Digital PBX Solutions – Connections to a variety of leading PBXs – including Avaya DEFINITY, Nortel Meridian and Lucent – enable businesses to easily get Polycom’s award-winning full-duplex voice conferencing in their PBX environments.

Enjoy all the benefits and the convenience of a direct connection to your digital PBX with these models:

- SoundStation Premier 500D – Non-expandable
- SoundStation Premier 550D – Expandable and expandable with 2 EX microphones

Item No.	Description
Direct Connect Solution: Avaya DEFINITY PBX (For use with DEFINITY PBX that supports the 6400, 7400 or 8400 series phones (except CallMaster series.))	
2305-06350-001	SoundStation Premier 550D Avaya - Expandable w/ Two External Microphones with Direct Connection to Avaya DEFINITY® PBX (Remote Control Not Included)
2305-06375-001	SoundStation Premier 550D Avaya - Expandable with Direct Connection for Avaya DEFINITY PBX (Remote Control Not Included)
2305-07375-001	SoundStation Premier 500D Avaya - Non-Expandable with Direct Connection for Avaya DEFINITY PBX (Remote Control Not Included)
Direct Connect Solution: Nortel Meridian PBX (Meridian 1 (Option II to 81) SL-1 or SL-100)	
2200-07120-001	SoundStation Premier 550D Nortel - Expandable mics not included, with Direct Connection for Nortel Meridian PBX (Remote Control Not Included)
2200-07124-001	SoundStation Premier 550D Nortel - Expandable w/ 2 External Microphones with Direct Connection for Nortel Meridian PBX (Remote Control Not Included)
2200-08120-001	SoundStation Premier 500D Nortel - Non-Expandable with Direct Connection for Nortel Meridian PBX (Remote Control Not Included)
Avaya/Lucent Analog and DCP PBX (Connects to listed Voice Terminals)	
2305-00106-001	SoundStation (Polycom/Avaya Analog Co-branded)
2305-00696-001	SoundStation EX w/Two Extended Microphones (Polycom/Avaya Analog Co-branded)
2305-01900-001	SoundStation Premier EX (expandable) (Polycom/Avaya Analog Co-branded)
2305-03000-001	Avaya DCP SoundStation - For Use w/Avaya 7102, 7400, 8102, 8400, & 8500 Voice Terminals
2305-03100-001	Avaya DCP SoundStation EX w/Two Extended Microphones - For Use w/Avaya 7102, 7400, 8102, 8400, & 8500 Voice Terminals
2305-03200-001	SoundStation Premier EX w/Two Extended Hypercardioid Microphones (Polycom/Avaya Analog Co-branded)

See our voice accessories at the end of this section.



Polycom Voice Solutions

Features:

- Amazing room coverage – speak naturally from up to 20-feet from the microphone
- Wideband audio
- Software upgradeability
- Maximum configuration flexibility
- Easy to install and use

Conference Room Solutions: SoundStation VTX 1000™

No more huddling around the phone! No more having to repeat yourself!

Polycom's revolutionary SoundStation VTX 1000 is the world's first automatically adapting conference phone for life-like sound in any sized conference room or executive office. It allows multiple people to have an efficient and productive conference call free from having to lean into the phone or repeat oneself. Users have natural, free-flowing conversations due to Polycom's award-winning, industry leading Acoustic Clarity Technology.

The SoundStation VTX 1000 provides unparalleled room coverage so participants can speak naturally up to 20-feet away from a microphone and still be heard clearly on the far end. Plus when you connect on a call with another SoundStation VTX unit, you can experience wideband audio for high-fidelity, life-like stereo sound where every word, syllable, and letter can be heard as if everyone is in the same room. The phones are software upgradeable - simply dial a standard phone number to a server, and the built-in modem automatically downloads the new software to the phone. With maximum configuration flexibility - independent Aux In and Aux Out ports, bass/treble controls, and microphone and speaker control for multiple uses, users can set their preference. And for big room coverage, connect the SoundStation VTX 1000 to a Polycom Vortex® Installed Room solution for a custom designed room capable of wideband calls. For an online demonstration visit **www.polycom.com**. Also integrates with Polycom VSX and Global Management System

- SoundStation VTX 1000 with EX microphones – Suitable for rooms up to 50' x 40'
- SoundStation VTX 1000 without EX microphones – Suitable for rooms up to 40' x 40'

Polycom Voice Solutions

Item No.	Description
2200-07142-001	SoundStation VTX 1000 (EX Mics Included) - fully automatic conference phone featuring VTX Wideband voice and Automatic Gain Control, includes Subwoofer and VTX EX Mics-North America. To be sold by Professional Voice Solutions Certified Dealers only
2200-07300-001	SoundStation VTX 1000 (w/o Ex Mics and Subwoofer) fully auto conference phone featuring VTX Wideband voice and Auto Gain Control, does not include Subwoofer and Ex Mics-North America. To be sold by Professional Voice Solutions Certified Dealers only
2200-07385-001	SoundStation VTX 1000 Bundle--Twin Pack, Consoles Only. EX Mics and subwoofer to be ordered separately. North America, 110V
2200-07500-001	SoundStation VTX 1000 (EX Mics Not Included) - fully automatic conference phone featuring VTX Wide band voice and Automatic Gain Control, includes Subwoofer. North America. To be sold by Professional Voice Solutions Certified Dealers only
2200-07585-001	SoundStation VTX 1000 Bundle Twin Pak (EX Mics Not Included). To be sold by Professional Voice Solutions Certified Dealers only
2200-07685-001	SoundStation VTX 1000 Bundle Twin Pak (EX Mics Included). To be sold by Professional Voice Solutions Certified Dealers only
2215-21960-001	VSX/VTX Integration Kit including: VTX Software upgrade license and Integration cables for VSX 7000/8000 and VTX 1000.
7200-21961-001	VSX 7400 and VTX 1000 Bundle including: VSX 7400 w/o Microphone, VTX 1000 w/o subwoofer, VSX/VTX Integration Kit, English Remote, Country Group 1, 1st Year Standard Service. Order VSX Network Modules separately
7200-21963-001	VSX 8400 and VTX 1000 Bundle including: VSX 8400 w/o microphones, VTX 1000 w/o subwoofer, VSX/VTX Integration Kit, English Remote, Country Group 1, 1st Year Standard Service. Order VSX Network Modules separately
2230-90022-001	Bundle: Vortex EF2241 and SoundStation VTX 1000 (w/o EX microphones and subwoofer) North America
2230-90023-001	Bundle: Vortex EF2280 and SoundStation VTX 1000 (w/o EX microphones and subwoofer) North America
2230-90024-001	Quick Install Pack 1: Vortex EF2241, Soundstation VTX 1000 (w/o EX microphones and subwoofer), 4 boundary microphones, 2 2'x2' ceiling tile speakers, and cables. North America.
2230-90025-001	Quick Install Pack 2: Vortex EF2241, SoundStation VTX 1000 (w/o EX microphones and subwoofer), 4 boundary microphones, 2 6" can loudspeakers, and cables. North America
2230-90026-001	Quick Install Pack 3: Vortex EF2241, SoundStation VTX 1000 (w/o EX microphones and subwoofer), 2 ceiling microphones, 2 2'x2' ceiling tile speakers, and cables. North America
2230-90027-001	Quick Install Pack 4: Vortex EF2241, SoundStation VTX 1000 (w/o EX microphones and subwoofer), 2 ceiling microphones, 2 6" can speakers, and cables. North America



Polycom Voice Solutions

Features:

- Custom designed solution meeting your business communications needs
- Big rooms now get big room coverage
- Superb voice quality
- Eliminates clutter
- Complete scalability and configurability
- Ease of use
- Integrates easily with ViewStation and iPower video conferencing systems

Installed Room Systems: Vortex Product Line

If you're looking for the most advanced audio system on the market for either audio or video conferencing, Polycom has the answer. Today's business environment requires effective remote communication with customers, co-workers and suppliers. With Polycom's Vortex installed room systems, you'll experience the highest audio quality and total room coverage, so every participant can hear and be heard.

The Vortex products provide an all-in-one audio processing solution suitable for conference rooms, boardrooms, training facilities, distance learning rooms, courtrooms, and large auditoriums. Microphones and speakers can be installed anywhere — in ceilings, tables, and elsewhere, out of view and in numbers that can cover even large rooms "wall-to-wall". You can use the revolutionary SoundStation VTX 1000 to easily control your Vortex system (dialing, volume, muting) and experience the power of wideband audio in an installed system. And, you can easily connect Vortex units to Polycom ViewStation and iPower products for full room audio coverage of your video conferences.

Vortex EF2280

Give your clients' conference rooms or distance learning facilities the audio quality they need for seamless communication. The Vortex EF2280 automatically mixes your microphones and other audio while canceling acoustic echoes and annoying background noise. Linked Vortex EF2280 units will handle up to 64 microphones in your facility.

Vortex EF2241

A companion to the Vortex EF2280, or a stand-alone solution for rooms, the Vortex EF2241 automatically mixes four microphones and other audio while canceling acoustic echoes and annoying background noise. The Vortex EF2241 features a built-in "phone add" to bring telephone calls into the conference.

Vortex EF2201

A phone add for voice and video conferencing applications. Up eight telephone callers can be added (with additional Vortex EF2201 units) to Vortex EF2280's and Vortex EF2241's. International compatibility and robust performance to work with the most challenging PSTN telephone lines.

Polycom Voice Solutions



Installed Room Systems: Vortex Product Line | Continued

Vortex EF2211

A stand-alone single channel acoustic echo canceller with telephony interface for small rooms and roll-about applications.

Vortex EF2210

A stand-alone single channel acoustic echo canceller for small rooms and roll-about applications.

Item No.	Description
2200-82201-001	Vortex EF2201 Phone Add - Includes power supply, user manual, software, Cat 5 cable 15' telco cable. Approved for North America
2200-82210-001	Vortex EF2210 Single-channel AEC / Noise canceller. - Includes power supply, user manual, software, Cat 5 cable. Approved for North America
2200-82211-001	Vortex EF2211 Single-channel AEC with built-in phone add - Includes power supply, user manual, software, Cat 5 cable, 15' telco cable. Approved for North America
2200-82241-001	Vortex EF2241 - Multi-channel AEC / Noise canceller w/Auto Mic Mixing, Matrix Mixer, and Telephony interface.- Includes power supply, user manual, software, Cat 5 cable, 15' telco cable. Approved for North America
2200-82280-001	Vortex EF2280 - Multi-channel AEC / Noise canceller w/Auto Mic Mixing and Matrix Mixer.- Includes power supply, user manual, software, Cat 5 cable. Approved for North America
2200-82282-001	Vortex EF2280-EF2201 Package System. - Includes EF2280, EF2201, power supplies, user manuals, software, two Cat 5 cables, 15' telco cable. Approved for North America
2200-82283-001	Vortex EF2280-EF2241 Package System. - Includes EF2280, EF2241, power supplies, user manuals, software, two Cat 5 cables, 15' telco cable. Approved for North America
2230-90022-001	Bundle: Vortex EF2241 and SoundStation VTX 1000 (w/o EX microphones and subwoofer) North America
2230-90023-001	Bundle: Vortex EF2280 and SoundStation VTX 1000 (w/o EX microphones and subwoofer) North America
2230-90024-001	Quick Install Pack 1: Vortex EF2241, Soundstation VTX 1000 (w/o EX microphones and subwoofer), 4 boundary microphones, 2 2'x2' ceiling tile spakers, and cables. North America.
2230-90025-001	Quick Install Pack 2: Vortex EF2241, SoundStation VTX 1000 (w/o EX microphones and subwoofer), 4 boundary microphones, 2 6" can loudspeakers, and cables. North America
2230-90026-001	Quick Install Pack 3: Vortex EF2241, SoundStation VTX 1000 (w/o EX microphones and subwoofer), 2 ceiling microphones, 2 2'x2' ceiling tile speakers, and cables. North America
2230-90027-001	Quick Install Pack 4: Vortex EF2241, SoundStation VTX 1000 (w/o EX microphones and subwoofer), 2 ceiling microphones, 2 6" can speakers, and cables. North America
2215-21960-001	VSX/VTX Integration Kit including: VTX Software upgrade license and Integration cables for VSX 7000/8000 and VTX 1000.
2457-21978-001	Cable, VSX 8000 to Vortex Audio/Control, 6 ft/1.8 m



Polycom Voice Solutions

Voice Product Accessories

How do you make industry-leading products even better? By adding Polycom's convenient and easy-to-use accessories that help you to save time, be more productive, and add more enjoyment to the use of your conferencing products. Whether it's cables, headsets, or a protective carrying case for your voice conferencing products, Polycom makes it easy for you to find the accessories you need.

Item No.	Description
1310-04469-001	Headset Hanger - SoundPoint Pro SE-220 & SE-225
1310-04820-001	Headset by Plantronics - CHS142N - SoundPoint Pro SE-220 & SE-225
1310-04820-002	Stratus on the Go Headset by GN Netcom Inc.- SoundPoint Pro SE-220 & SE-225
2200-11014-002	Cable, Cisco Power over Ethernet, for use with SoundPoint IP 500
2200-11077-001	Power over Ethernet Cable, 802.3af, for use with SoundPoint IP 500
2200-11611-001	SoundPoint IP 500 and 600 Wallmount Bracket kit includes hardware for wall mounting
1676-00259-001	Soft Carrying Case - SoundStation, SoundStation Premier
2200-00501-001	Metal Carrying Case - SoundStation, SoundStation EX
2200-03153-001	Metal Carrying Case - SoundStation Premier
2200-03000-001	IR Remote Control - SoundStation Premier
2200-01906-001	Video Interconnect - SoundStation & SoundStation Premier
2200-00698-001	Extended Microphones (2) - SoundStation EX
2200-00699-001	Wireless Microphone System, Frequency A (171.905 MHz) - SoundStation and SoundStation Premier
2200-00699-002	Wireless Microphone System, Frequency F (203.400 MHz) - SoundStation and SoundStation Premier
2200-02138-001	Extended Microphones (2) - SoundStation Premier EX
2457-04931-001	Security Kit (KA-Keyed Alike). Includes Cable, lock/key, hardware, instructions
2457-04931-002	Security Kit (KD-Keyed Different). Includes Cable, lock/key, hardware, instructions
2457-04931-003	Security Kit (MK-Keyed Differently, with a Master Key) *Special Order, Longer Lead. Includes Cable, lock/key, hardware, instructions
2215-07155-001	Extended Microphones (2), SoundStation VTX 1000
2565-07242-001	SoundStation VTX 1000 Subwoofer, 110V
2565-07242-002	SoundStation VTX 1000 Subwoofer, 220V
2301-03433-001	Avaya DCP Wall Module Connector
2200-03111-001	Konexx DWint (Northern Telecom Telephone Adapter)
2200-80010-001	Vortex EF-IR10 Infra-Red Remote Control for EF2280, EF1210, EF600*, EF200 (*with EF600 volume on EF200 only)
2200-80099-001	Vortex EF-IR11 Infra-Red Remote Control for use with EF2280, EF2241, EF2201, 2211 and EF2210.
2215-80031-001	Vortex EF22xx Accessory Kit. Contains twelve (12) Phoenix-type terminal connectors for use with EF22xx models.

Polycom Network Systems

Network



Polycom delivers revolutionary network conferencing applications, platforms and tools that enable people to meet anytime, anywhere, from any device. From Polycom Voice*Plus*, Polycom Unified Conferencing Bridges, Gateways, and Polycom Web*Office*™ or software management products for any conferencing network, distributed or centralized, Polycom offers a complete range of solutions to meet any organization's needs.

Polycom Voice*Plus*, Polycom Unified Conferencing and gateway solutions all operate on the MGC™ architecture. With three platforms to choose from, MGC-25, MGC-50 and MGC-100, Polycom offers the most scalable multipoint audio, video and Web collaboration in the industry. The MGC-50 and MGC-100 platforms provide industry leading solutions for either Service Providers or Enterprises' looking to deploy multipoint and gateway services. The MGC-25 is ideal for those looking to deploy a distributed network. All three platforms share a common feature set and support the same scheduling and management solutions.

For example, our Polycom Conference Suite™ makes it easy to schedule successful video and audio conferences through the ability to invite guests, book rooms and resources, even reserve network bandwidth – all from within Microsoft® Outlook® or a Web interface.

Designed for IT professionals, the Web-based Polycom Global Management System™ enables centralized support of enterprise-wide, video communications networks. The premier advanced gatekeeper solution, Polycom PathNavigator,™ makes IP and ISDN video communications as easy to use as your telephone.

Polycom Network Systems

Applications

Unified Conferencing

Features

- Full-featured audio and video on the same platform
- Same conferencing features for voice and video
- Pro-Motion 60 fps delivers highest quality video
- Wideband audio 14kHz delivers high quality sound
- Supports ISDN and IP video, PSTN and VoIP video conferences simultaneously on one platform
- Supports ad hoc and scheduled conference modes
- Interactive keypad control features supported in voice, video and unified conferences
- Easy upgrade and migration path
- Superior ROI achieved by one platform, management system and installation

Polycom's Unified Conferencing, the ultimate conferencing system, is the first solution in the industry to give you full-featured voice and video conferencing capabilities on a single platform with common conferencing features. And, by eliminating the need for separate bridges and separate management systems to support audio and video, Polycom Unified Conferencing delivers the highest ROI in the industry.

Unified Conferencing offers the highest quality conferencing experience possible with wideband audio and Pro-Motion video support.



Polycom Network Systems

Applications | Continued

Polycom Voice*Plus*

Polycom Voice*Plus* is a superior audio conferencing solution that fills the requirements for any size enterprise and high capacity service providers. Polycom Voice*Plus* integrates features that deliver unmatched audio quality and control to conferencing participants and can be integrated with Web collaboration—available on Polycom's MGC platforms.

Polycom Web*Office*™

Polycom Web*Office* is the conferencing portal. It is an easy-to-use “virtual office on the Web” where participants can meet, collaborate, share information, applications and documents in a secure interactive environment. Hold online meetings via a personal URL and buddy-list that brings users into your Polycom Web*Office*. And, take advantage of existing voice and video conferencing infrastructure to deliver a complete conferencing experience.

Item No.	Description
VRSM1005	WebOffice - Conferencing Portal Software. 5 users. Requires Server (See specifications)
VRSM1010	WebOffice - Conferencing Portal Software. 10 users. Requires Server (See specifications)
VRSM1025	WebOffice - Conferencing Portal Software. 25 users. Requires Server (See specifications)
VRSM1050	WebOffice - Conferencing Portal Software. 50 users. Requires Server (See specifications)
VRSM1100	WebOffice - Conferencing Portal Software. 100 users. Requires Server (See specifications)
VRSM1200	WebOffice - Conferencing Portal Software. 200 users. Requires Server (See specifications)
VRSM1300	WebOffice - Conferencing Portal Software. 300 users. Requires Server (See specifications)
VRSM1400	WebOffice - Conferencing Portal Software. 400 users. Requires Server (See specifications)
VRSM1500	WebOffice - Conferencing Portal Software. 500 users. Requires Server (See specifications)
VRSM9001	WebOffice - Conferencing Portal Software. 1000 users. Requires Server (See specifications)
VRSM9002	WebOffice - Conferencing Portal Software. 2000 users. Requires Server (See specifications)
VRSM9005	WebOffice - Conferencing Portal Software. 5000 users. Requires Server (See specifications)
VRSM9010	WebOffice - Conferencing Portal Software. 10,000 users. Requires Server (See specifications)
VRSM9020	WebOffice - Conferencing Portal Software. 20,000 users. Requires Server (See specifications)
VRSM9050	WebOffice - Conferencing Portal Software. 50,000 users. Requires Server (See specifications)

Features

- Offers roll call, voting, polling, Q&A and more
- Supports attended and unattended conferences
- Extremely scalable
- PIN code access and conference lock security
- Supports PSTN and VoIP conferencing
- Common management suite tailored to meet your individual needs



Features

- Conference Portal provides easy to use 'buddy list' for launching voice, video and Web conferencing sessions
- Integrates with Polycom endpoints and MGC product families
- Permits multiple participants to dynamically upload and present their content throughout the session
- Easy-to-use embedded controls for management of voice, video and data meetings
- Instant messaging for chatting and meeting invitations to colleagues

Polycom Network Systems

Platforms

Features

- Supports Polycom Unified Conferencing, Polycom VoicePlus and Gateway products
- Supports multiple networks: IP and ISDN video, STN and VoIP voice
- Supports highest quality audio and video standards
- All platforms use the same management and scheduling applications

Features

- Plug and Play with Fast Setup Wizard
- An easy start with 10 preset configurations
- Ad hoc and scheduled conferencing available
- Unified interactive keypad controls to manage voice and video conferences
- Optional advanced Continuous Presence and transcoding capabilities
- Unmatched performance on a cost-effective platform

Polycom MGC Platforms

Polycom's three MGC platforms provide powerful support for multipoint voice, video, Unified and gateway conferencing. Although the MGC-25, MGC-50 and MGC-100 share many common features, each has its own set of configurations and capacities designed to meet specific conferencing requirements.

Polycom MGC-25

Our revolutionary MGC-25 platform is an economical, easy to use, plug-and-play multi-network conferencing solution. The MGC-25 is a sleek, rack mountable design, yet provides value conferencing by supporting the same software as the MGC-50 and MGC-100 platforms. With ten preset configurations of Unified Conferencing, Polycom VoicePlus and standalone Gateway, the MGC-25 is the perfect solution for any work group environment or large enterprise with distributed network requirements.

Item No.	Description
VBGW0101	MGC-25 GW1: 2U 19 in. chassis, Single PRI Gateway for IP/ISDN, 3 sites@384 kbps T1, 5 sites@384 kbps E1, 11 sites@384 kbps T1, 12 sites @128 kbps E1, Audio TX, MGC Manager
VBGW0102	MGC-25 GW2: 2U 19 in. chassis, Dual PRI Gateway for IP/ISDN, 7 sites@384 kbps T1, 10 sites@384 kbps E1, 12 sites @128K T1/E1, Audio TX, MGC-Manager
VBMA2401	MGC-25 VoicePlus 24: 2U 19 in. chassis, 23 PSTN ports T1, 24 PSTN ports E1, Voice IVR/DTMF, Audio TX, VCS, MGC Manager
VBMA4801	MGC-25 VoicePlus 48: 2U 19 in. chassis, 46 ports T1, 48 PSTN ports E1, Voice IVR/DTMF, Audio TX, VCS, MGC Manager
VBMI1006	MGC-25 ISDN V: 2U 19" Chassis. Up to: 12 ISDN@128 kbps@T1/E1, 7-10 ISDN@384 kbps @T1/E1, 3-5 ISDN@768 kbps@T1/E1, 2 ISDN@T1/E, HWCP, Audio/Video TX, MGC Manager
VBMP1201	MGC-25 IP12: 2U 19 in. chassis, 12 IP sites@384 kbps or 24 sites @128 kbps, IVR/DTMF, SWCP, VCS, MGC-Manager
VBMP1601	MGC-25 IP16+: 2U 19 in. chassis, 16 IP sites @384 kbps, 24 IP sites @128 kbps & 8 PSTN, IVR/DTMF, SWCP, VCS, MGC Manager
VBMP1606	MGC-25 IP16+ V: 2U 19" Chassis. Up to: 8 PSTN@64 kbps, 24 IP@128 kbps, 16 IP@384 kbps, 8 IP@768 kbps, 4 IP@T1/E1, SWCP, HWCP, Audio/Video TX, MGC Manager
VBMU2401	MGC-25 Unified 24: 2U 19" chassis: 24 PSTN, 12 ISDN@128kbps@T1/E1, 7-10 ISDN@384kbps @T1/E1, 3-5 ISDN@768kbps@T1/E1, 2 ISDN@T1/E1, 16 VoIP/64kbps, 16 IP@128kbps, 16 IP@384kbps, 8 IP@768kbps, 4 IP@T1/E1, Audio TX, Unified Conf Suite, SWCP, MGC Manager
VBMU2406	MGC-25 Unified 24 V: 2U 19" chassis: 24 PSTN, 12 ISDN@128kbps@T1/E1, 7-10 ISDN@384kbps @T1/E1, 3-5 ISDN@768kbps@T1/E1, 2 ISDN@T1/E1, 16 VoIP/64kbps, 16 IP@128kbps, 16 IP@384kbps, 8 IP@768kbps, 4 IP@T1/E1, Audio/Video TX, UCS, HWCP, SWCP, MGC Manager

Polycom Network Systems

Platforms | Continued

Features

- Telco-grade architecture
- Hot swappable modules
- Supports redundancy
- Scalable

Polycom MGC-50 and MGC-100

Polycom's MGC-50 and MGC-100 are high performance, highly scalable MCUs and gateway platforms. These flexible systems, designed to accommodate users' changing multipoint needs, use a modular "universal slot" platform that allows a high degree of customization based on port capacity and functionality requirements. The 8-slot MGC-50 can be used in either a distributed or centralized deployment of conferencing and gateway services. The MGC-100, with twice the scalable capacity of the MGC-50 and redundant power supplies, meets the requirements for a centralized service requiring support for a large number of ports, features and multiple network connections, dedicated, switched and packet.

Item No.	Description
VVCS0192	MGC-50 VoicePlus Bridge - 192 ports ISDN/PRI T1/E1 (Net8, Net4, 2 Audio 48/96, IVR/DTMF, 8 slot chassis, AC Power, MGC Manager)
VVCS0288	MGC-50 VoicePlus Bridge - 288 ports ISDN/PRI T1/E1 (2 Net8, 3 Audio 48/96, IVR/DTMF, 8 slot chassis, AC Power, MGC Manager)
VVCS0384	MGC100 VoicePlus Bridge - 384 ports ISDN/PRI T1/E1 (Net8, Net4, 4 Audio 48/96, IVR/DTM, 16 slot chassis, AC Power, MGC Manager)
VVCS0768	MGC 100 VoicePlus Bridge - 768 ports ISDN/PRI T1/E1 (4 Net8, Net4, 8 Audio 48/96, IVR/DTMF, 16 slot chassis, AC Power, MGC Manager)
VVCS4801	MGC-50 VoicePlus Bridge - 48 ports ISDN/PRI T1/E1 (Net4, Audio24/48, IVR/DTMF, 8 slot chassis, AC Power, MGC Manager)
VVCS9601	MGC 50 VoicePlus Bridge - 96 ports ISDN/PRI T1/E1 (Net8, A48/96, IVR/DTMF, 8 slot chassis, AC Power, MGC Manager)

Polycom Network Systems

Tools

Features

- Participants have access to a visual guide through their remote control
- Ability to change personal layout at any time during the conference
- Request online operator assistance

Polycom Click&View™

Click&View is a unique interface that gives end users more control over their video conferences. The interface appears on the end users video endpoint to help guide them through their conference. Using the interface as a guide, end users can change conference layouts, choose personal layouts or even ask for operator assistance, all from their remote control.

Item No.	Description
VSWG1000	Click&View License for all video module ports configured on a MGC-50 or MGC-100

Features

- Advanced conference scheduling
- Manage and monitor multiple conferences simultaneously
- Display all ongoing and reserved conferences
- System configuration, software downloading and system fault detection
- Included with all MGC platforms

Polycom MGC Manager

Polycom's MGC Manager is an easy-to-use management, scheduling and reporting application that allows network administrators to seamlessly manage multiple video MCUs, gateways and audio bridges. Windows®-based, it communicates with an MGC via any TCP/IP network or dial-up connection.

Polycom WebCommander™

Polycom's WebCommander gives you control over all aspects of setting up conferences on Polycom MGC MCUs. With Polycom WebCommander, scheduling and launching multipoint conferences, ad hoc meetings or future conferences is an easy, productive way to schedule meetings.

Item No.	Description
VMSW0101	MGC Web Commander Professional: Includes Meeting Director and Meeting Scheduler
VMSW0102	WebCommander -Meeting Scheduler - SW for WEB-based Conference scheduling.Includes Personal Scheduler. Requires Microsoft Server
VMSW0103	MGC Web Commander Meeting Director: SW for WEB-based Conference management. Requires Microsoft Server

Features

- A MGC multipoint scheduling tool that works through a Web Browser or Microsoft Outlook
- Ready for immediate ad hoc meetings or to schedule future conferences
- Supports Polycom VoicePlus, Polycom VideoPlus™ and Polycom Unified Conferencing
- Multiple MCU support and monitoring screen for Polycom WebOffice
- Customize your video meeting environment with graphics, languages, logos and color schemes
- View conference and participant connection status
- Change multipoint video layouts
- Real-time updates

Polycom Network Systems

Features

- Centralized control of video conferencing network saves time, resources and cost
- Real-time monitoring and remote network management insures video conferencing network integrity
- Comprehensive directory services makes dialing video calls simple
- Maximizes investment in video conferencing network
- Zero-administration directory services, remote video monitor, call detail record and centralized diagnostics increase responsiveness and decrease support costs

Tools | Continued


Polycom Global Management System™

Designed for IT professionals, the Polycom Global Management System is a Web-based system management software solution that enables centralized support of enterprise-wide, Polycom video endpoints and MCUs. The feature-rich software includes six major components: System Management, Global Directory, SoftUpdate, Provisioning, Account Management, and Reports.

Item No.	Description
5151-21050-100	Global Management System - 1 Pack License
5151-21050-200	Global Management System - 5 Pack License
5151-21050-300	Global Management System - 25 Pack License
5151-21050-500	Global Management System - 100 Pack License
5151-21050-700	Global Management System - 500 Pack License
5151-21050-900	Global Management System - 3,000 Pack License

Polycom Network Systems

Tools | Continued



Features

- Schedules and launches point-to-point, embedded multipoint and standalone MCU calls
- Schedules through a Web browser or Microsoft Outlook—no new applications to learn
- Send calendar invites directly to Microsoft Outlook or IBM® Lotus Notes®
- Patent pending Bandwidth Reservation permits Polycom Conference Suite to control ad-hoc conferences so scheduled events take priority
- Supports equipment from major video equipment manufacturers
- Improves ROI through more efficient use of video communications assets, lower administration support cost and higher call success rates

Polycom Conference Suite™

The Polycom Network Aware Scheduler™, a Polycom Conference Suite module, makes it easy to schedule conferences by providing users with the power to invite guests, book rooms, and select necessary equipment, all from within Microsoft Outlook or through a Web interface. For IT professionals, the Polycom Video Network Management module enables network administrators or operations personnel to manage, monitor, control and troubleshoot video devices, MCUs and conference room equipment from anywhere in the world.

Item No.	Description
5151-21040-200	Polycom Conference Suite, 5-Pack License (Includes Network Aware Scheduler and Video Network Management)
5151-21040-300	Polycom Conference Suite, 25-Pack License (Includes Network Aware Scheduler and Video Network Management)
5151-21040-500	Polycom Conference Suite, 100-Pack License (Includes Network Aware Scheduler and Video Network Management)
5151-21040-700	Polycom Conference Suite, 500-Pack License (Includes Network Aware Scheduler and Video Network Management)
5151-21045-200	Polycom Conference Suite Redundant, 5-Pack Redundancy License (Includes Network Aware Scheduler and Video Network Management)
5151-21045-300	Polycom Conference Suite Redundant, 25-Pack Redundancy License (Includes Network Aware Scheduler and Video Network Management)
5151-21045-500	Polycom Conference Suite Redundant, 100-Pack Redundancy License (Includes Network Aware Scheduler and Video Network Management)
5151-21045-700	Polycom Conference Suite Redundant, 500-Pack Redundancy License (Includes Network Aware Scheduler and Video Network Management)

Features

- Supports Polycom OneDial™
- Supports Conference On-Demand
- Policy Management
- Auto Provisioning
- Increased Availability and Security
- Advanced Diagnostics and CDR

Polycom PathNavigator™

Polycom's PathNavigator is an advanced gatekeeper that makes IP and ISDN video communications as easy to use as your telephone. With support for intelligent call routing, plus easy system deployment and bandwidth management, Polycom PathNavigator ensures reliability, security and effective cost control.

Item No.	Description
5151-21060-300	PathNavigator - 25-Pack License (25 registrants and 12 concurrent calls)*
5151-21060-500	PathNavigator - 100-Pack License (100 registrants and 30 concurrent calls)
5151-21060-700	PathNavigator - 500-Pack License (500 registrants and 150 concurrent calls)
5151-21060-900	PathNavigator - 3,000-Pack License (3,000 registrants and 600 concurrent calls)
5151-21065-300	PathNavigator Redundant - 25-Pack License (25 registrants and 12 concurrent calls)*
5151-21065-500	PathNavigator Redundant - 100-Pack License (100 registrants and 30 concurrent calls)*
5151-21065-700	PathNavigator Redundant - 500-Pack License (500 registrants and 150 concurrent calls)
5151-21065-900	PathNavigator Redundant - 3,000-Pack License (3,000 registrants and 600 concurrent calls)



Polycom Global Services

Features

- Consistent high quality service delivery across multiple locations
- Global coverage
- Timely support
- Unprecedented expertise
- Increased system usage
- Rapid technology assimilation
- Highest quality
- Maximum ROI

You want the most out of your Polycom investment and you want it fast! Polycom Global Services offers comprehensive service and support capabilities, delivered with our worldwide channel partner network. This means worldwide availability, flexibility to meet your unique needs, and the highest quality service – proven over years of customer delivery.

United with our partners to drive customer success, our high-quality service teams provide end-to-end worldwide support that helps maximize Return On Investment (ROI). It's not just about service offerings. It's about how the services transform world-class technology into maximum benefits and ultimate customer satisfaction.

Our service portfolio encompasses comprehensive Support Services for immediate resolution of issues, as well as Installation Services, and a complete range of training offerings. In addition, our Advanced Services provide pro-active, value-added services to help you plan, design, implement and manage a segment or an entire global, collaboration environment.



Polycom Global Services

In addition, we offer variations of these Support Services so you can choose the right level of support for you.

Support Services

Get Maximum Return on Investment

Polycom offers a complete portfolio of support services – you select the level of support you need – full-to self-service. From complete installation services to stellar maintenance for video conferencing endpoints like VSX 7000, ViewStation and iPower, to our world-class services for our multipoint bridges and network solutions software, Polycom delivers:

Premier Family

A family of maintenance services for Polycom software products, MCUs, gateways and VSX 7000. These offerings include unlimited telephone support during normal business hours; escalation to resolve engineering issues; parts support; software updates and upgrades; access to 24-hour video test facility, and online support.

Polycom Global Services

Polycom Support Services offerings at a glance

Maintenance prices vary by model, number of systems and program options

Warranty – Polycom stands behind our products and services. Ask our channel partners and sales representatives about specific warranty terms. In addition to our standard warranties, Polycom offers maintenance services to ensure prompt response, minimum downtime, and satisfied users long after the warranty expires.

Polycom Support Services Features	Standard	Premier	Premier Plus
Telephone technical support	•	•	•
Escalation support	•	•	•
Online support	•	•	•
Around the clock test facility	•	•	•
Advance parts replacement		•	•
30-day return to factory parts support	•		
Software updates	•	•	•
Software upgrades	•	•	•
On-site support			•

Polycom Global Services

Features

- Faster, tested installs
- User orientation
- Increased productivity
- Cost-effective
- Improved user satisfaction

Installation Services

Installation Services – Ensure that your Polycom group video conferencing systems, Multipoint Control Units (MCUs) and network solutions software are professionally installed – fast – so you can quickly use them! Video conferencing and Multipoint Control Unit (MCU) installations include pre-installation coordination, system unpacking, inspection and system install with configuration and peripherals connection; live system test, and orientation for up to three students.

Installation prices vary by model. Savings calculated from installation and one year maintenance purchased separately.

Advanced Services

Polycom Advanced Services are proactive services designed to help you execute your distance communications and business strategies seamlessly, and provide product lifecycle management for your entire collaboration environment.



Polycom Global Services

Implementation Services

Implementation Service, available for the full range of Polycom conferencing solutions, is delivered in collaboration with the customer's technical team. The core offering includes project management, a pre-installation survey, database development and configuration, on-site installation, testing and onsite administrator training.



Implementation Services pricing will vary depending on software type and number of systems.

Video Conference Service Quality Assessment

User satisfaction and service quality are among the primary indicators of successful video conferencing deployment. Knowing where you stand in terms of service quality is a critical prerequisite to any improvement program you will undertake.

Polycom's Video Conference Service Quality Assessment is designed to assist organizations in determining how well their approach to video conferencing is meeting user satisfaction and management's expectations. Through this Quality Assessment, we identify issues that affect reliability, performance and user satisfaction, and recommend solutions to improve your video conference service quality.

Item No.	Description
6867-07775-001	For up to 30 group systems




Polycom Global Services

Performance Benchmarking and Best Practices Assessment

Polycom's Performance Benchmarking and Best Practices Assessment can help you maximize the return on your video conferencing investment and realize substantial strategic benefits.

This assessment is a highly structured program that gives you a clear understanding of what your conferencing network can really deliver, how to reduce network costs, streamline usage processes, and improve efficiency and quality of service.



Polycom's Performance Benchmarking and Best Practices Assessment focuses on three key areas of video conferencing: quality of service, operational efficiency and business benefits. The critical factors that affect each of the key areas - people, process and technology -- are at the core of our data gathering activities and analysis.

Item No.

Description

6867-07749-001

For up to 100 group systems

ISDN to IP Transition Workshop

The deployment of video conferencing over TCP/IP networks can be complex yet the improved service quality, reliability, and substantial cost-savings over an ISDN environment makes the decision to transition to IP a consideration by many enterprises today. To help enterprise customers move efficiently to IP-based conferencing, Polycom offers a two-day workshop to share our knowledge and expertise regarding the transition.

The workshop will educate your networking and conferencing professionals on the steps of the transition process. After the workshop, we provide a report that captures the basics of the transition process, and identifies the specific issues that must be addressed both by the enterprise and by the video conferencing and networking vendors that serve it. This document will be the framework for your ISDN to IP transition.

Item No.	Description
6867-07747-001	ISDN to IP Transition Workshop



Custom Products/Market Solutions

Custom

Select from the pre-packaged solutions below for specific applications or vertical markets, or let us design a customized solution specifically for you! Our experts are waiting to meet your needs.

Education Solutions

Polycom ViewStation and iPower ClassStation™ Learning Solutions meet and exceed the demands of distance learning environments. These enhanced solutions offer expanded functionality and quality, seamlessly integrating voice, video, and instructional multimedia tools. Because they comply with the new H.264 video compression standard, you'll enjoy a sharper picture than ever before.

Designed as complete systems, our cost-effective classroom solutions come with embedded multipoint control functionality that can support from four to twelve sites at a time, Web server, gateway and video conferencing capabilities, as well as multimedia and collaborative tools. Delivered as a complete, high-quality solution, all of the components are completely integrated and tested for trouble-free performance. The embedded Web server makes it easier to build content and create a paperless classroom environment. In addition, technology coordinators can use the Web server to remotely control information that is viewed in classrooms, saving you both time and money.

Item No.	Description
2230-21325-001	Small ViewStation ClassStation Package: VS4000 (IP), Visual Concert FX, (1) PowerCam Student/Teacher camera, (2) digital microphones, (2) 32" S-Video displays, (2) 42" educational cabinets, (2) classroom center channel speakers, VCR/DVD and document camera
2230-21330-001	Large ViewStation ClassStation Package: VS4000 (IP), Visual Concert FX, (2) PowerCam Student and Teacher cameras, (15) touch-to-talk student microphones for automatic camera operation, color touch panel control, (2) 32" S-Video and (1) 32" XGA displays, (1) 15" VGA flat display unit, (3) 42" educational cabinets, instructor podium, (3) classroom center channel speakers, VCR/DVD, electronic writing board and document camera
2230-21335-001	Small iPower ClassStation Package: iPower 9000 (IP), ImageShare II, PowerCam Plus Student/Teacher camera, wireless control tablet, (2) PowerMicrophones, (1) 32" S-Video and (1) 32" XGA displays, (2) 42" educational cabinets, (2) classroom center channel speakers, VCR/DVD, document camera and Interactive Voice Control Software
2230-21340-001	Large iPower ClassStation: iPower 9000 (IP), ImageShare II, PowerCam Plus and PowerCam Student and Teacher cameras, wireless control tablet, (15) student touch-to-talk microphones for automatic camera operation, (2) 32" S-Video and (1) 32" XGA displays, (3) 42" educational cabinets, instructor podium, (3) classroom center channel speakers, VCR/DVD, document camera and Interactive Voice Control Software.

Custom Products/Market Solutions



MedLink™

This telemedicine workstation is just what the doctor ordered! Multiple types of technical/medical content can be easily shared with medical staff or patients in remote locations. Shared medical records, x-rays and presentations make remote sessions more productive, enhancing the level of patient care. It's great for clinical and training applications. The lockable storage keeps devices safe and you'll appreciate a user-friendly display mounted on a radial arm. Supports optional peripherals like scopes and monitors. The system is highly customizable.

- Also available is a compact unit designed to support Polycom Appliance systems.



Judicial Collaboration System

Primarily designed for arraignment, prison management, legal counsel, and other applications with challenging security requirements. Available with a choice of Polycom systems, it is designed for rugged applications or just about any place where you need added durability. Optional armored handset for audio privacy; unbreakable display shield and steel cabinetry.



Wireless Cart

Our "no-strings-attached" mobile system uses wireless IP networking and an on-board power supply; 802.11-compliant LAN connection; bi-directional wireless audio; up to two hours of operation before recharging. Great for manufacturing and campus environments or tapping into (no longer) hard-to-reach remote experts! Well-suited for other applications where wired networks are not an option!



Custom Products/Market Solutions

ClassStation

Because of advances in technology, today's classroom is very different from the traditional classroom of the past. The Polycom ClassStation Packages are a reflection and configuration of past techniques combined with up-to-date instructional tools that empower teachers and students for complete success. The packages facilitate very effective distributed and distance learning creating more Educational Equity, Excitement and Enrichment of learning. Industry trends demand increased quality, capability, ways to communicate while decreasing size and price of technology. Our packages establish these trends and go beyond with completely automatic operation we call "transparent technology" in the classroom. Complexity of technology has been taken away with one part number, effective integration, value pricing, access to content and applications training. Never before have complete solutions been so capable, affordable, fun and easy-to-use!

MediaStation

A flexible solution for large meeting rooms and multimedia applications that can accommodate a number of different Polycom codecs and displays including single or dual plasma or LCD displays, presentation tools and enhanced audio. The system incorporates storage on-board, is lockable and can be matched to integrate into high-end millwork environment. It's a "custom room in a box" that supports industry standards.

Polycom Integrated Voice and Touch Control

The Polycom Integrated Voice and Touch Control solution provides a natural way to control an iPower video conferencing system using voice commands and a pointing device such as a mouse, touch panel or interactive whiteboard. With this software application, users can control voice, video and content using voice commands. Users can also control the camera using a pointing device such as a mouse if your system includes a monitor, or aim and zoom the camera by touching the screen, if your system includes a touch-screen display or interactive whiteboard.

This is an option for the iPower platform v.5.3 and above. The feature is included in iPower ClassStation v.2.0 and iPower MedLink Cart v.2.0 at no additional charge.



Polycom Learning Center

Learning

Benefits

- Training programs maximize the day to-day effectiveness and long-term success of your videoconferencing solution
- Breadth of courses range from a selection of introductory courses and infrastructure information to a full curriculum of product specific offerings
- Range of course delivery options enable learning anytime, anywhere
- Quality course development procedures provide consistent course content, wherever the class is delivered

What provides the most immediate return on your collaboration technology investment? Training. By educating your work force, your organization can use and support Polycom products more effectively and efficiently.

It's a known fact that a well-trained workforce is more productive and efficient. A worldwide training organization, the Polycom Learning Center delivers targeted training content through experienced instructors to help you meet your training needs.

Polycom Learning Center Courses

Our product-related courses feature a blend of lecture and hands-on exercises, a combination that maximizes each attendees' overall learning experience. During these classes, students gain valuable technical knowledge and skills that will improve productivity, increase utilization of video conferencing equipment, and speed problem resolution. Three levels of training are offered:

- End-User--focus is on operational topics to fully leverage the product features at a basic level
- System Administrator--focus is on system configuration, advanced feature utilization, and basic troubleshooting techniques
- Technical Maintenance--focus is on installation, configuration, operation, and thorough troubleshooting

In addition to product-specific courses, the PLC offers a suite of general technology courses including: Video Over IP and the Internet, Introduction to Video Conferencing and H.320 Networks, Implementing IP Networks for H.323 Video Conferencing, and the industry-leading Certified Video Conferencing Engineer Program.

Not sure which program to attend? Get in touch with the PLC team via email Training@polycom.com for specific information on our courses and to discuss your training needs.

Polycom Learning Center

Polycom Learning Center Locations

Polycom's education services are easily accessible—available at our location, on customer premises, the web, or via video conference. Our instructor-led training is conveniently based out of the following locations:

- United States: California, Georgia, Massachusetts
- Slough, United Kingdom
- Paris, France
- Mexico City, Mexico
- Australia or Singapore

On-Site Training

For groups of six or more students, we offer on-site training held at your location. Please call 1-888-248-4143 to speak with a member of the PLC staff for additional information and availability.

Product Technical Programs

VSX Technical Training: A hands-on program covering how to install, configure, administer and troubleshoot the VSX products. This hands-on class covers all system features and configurations.

VSX End-User Training

iPower Technical Maintenance: Learn how to install, operate, and maintain iPower systems. Covers user interface, administration, hands-on operation, and troubleshooting through in-depth exercises.

iPower End-User Training: An introductory course which builds the skills and provides the tools necessary for end-users to effortlessly operate the system.

ViewStation Technical Training: Learn how to install, operate, configure, and troubleshoot the ViewStation series of products. This hands-on class covers all system features and configurations.

Visit our web site: www.polycom.com/training

Certification Program:

Certified Video Conferencing Engineer (CVE) Core Training: An optional class that prepares individuals for the CVE exam. Covers four major test areas: Audio, Video, Networks, and Standards and gives a comprehensive look at the core technologies for video conferencing planning, implementation and support.

Polycom Learning Center

Technology Courses

Implementing IP Networks for H.323 Video Conferencing: A very popular technical, comprehensive course on designing, building and managing IP Networks for H.323 Video Conferencing. Students gain a comprehensive examination of the technical requirements for implementing H.323 video on both corporate networks as well as the Internet.

Video conferencing (H.320) and Networking General: This entry-level course overviews the telecommunications industry, the public switched telephone network and video conferencing standards (H.320). Highly recommended for new video conferencing users and system administrators.

Network Systems Courses

MGC 25/50/100 Technical Maintenance: An interactive, hands-on course covering system installation, configuration, operation and maintenance of the Polycom MGC and the connected workstation.

MGC 25/50/100 System Administration: A practical class on how to configure and control the Polycom MGC from a user and system administrator perspective.

VoicePlus/VideoPlus: This two-day, Instructor-led course is a hands-on program covering installation, integration, and configuration of all Voice/VideoPlus operations on the Polycom MGC platform controlled by the manager station.

Gateway /Gatekeeper: This one-day, instructor led course is a hands-on program covering Gateway installation, integration & Gatekeeper configuration, use and set-up of All VCS endpoints, and Gateway operations on the Polycom MGC platform.

PathNav: This four-day Instructor-led course is a hands-on program covering how to configure and control the Call Processing Server from a Users and System Administrators level.

Webcommander: This two-day Instructor-led course is a hands-on program covering WebCommander system operations, configuration, and support of the Polycom MGC Web Server.

WebOffice: This one-day, instructor-led course is a hands-on program covering installation, operation, and configuration of the WebOffice server

For expert information and a referral to an authorized reseller, call us at **1-877-POLYCOM**, option 3, contracts, installation services and training.

Errors and Trademarks

Oops!

Typographical Errors – OOPS!

Although all information has been carefully checked for accuracy, this catalog may contain errors and omissions. In such a case, we regret any inconvenience this may cause. Polycom reserves the right to correct any errors and to update any product-related information at any time after the printing of this catalog.

© 2004 Polycom, Inc. All rights reserved. Polycom reserves all rights of any product described within this catalog. No part of this catalog may be reproduced without the written consent of Polycom, Inc.

Polycom Trademarks

Polycom, the Polycom logo, SoundStation, SoundStation Premier, SoundPoint, Vortex, ViewStation and ViaVideo are registered trademarks and VoiceStation, SoundStation VTX 1000, VTX, SoundStation2W, VS4000, VSX, Polycom V500, iPower, Polycom OneDial, iPriority, Visual Concert, Click&View, ClassStation, Polycom StereoSurround, Pro-Motion, Siren, ImageShare, People+Content, PowerCam, Polycom Video*Plus*, Polycom Web*Office*, Polycom PathNavigator, Global Management System, Polycom Conference Suite, Network Aware Scheduler, WebCommander, MGC, Polycom Conference Suite, the industrial design of the SoundStation VTX 100 and the industrial design of the VSX 7000 are trademarks of Polycom, Inc. All other trademarks are the property of their respective owners. Information in this document is subject to change without notice.